General Motors Corporation

Warren. Michigan 48090-9009

# CONTAINS NO CBI

#### **Divisional Offices**



CERTIFIED MAIL
RETURN RECEIPT REQUESTED

Office of Toxic Substances Environmental Protection Agency 401 M. Street, S.W. Washington, DC 20460 90-900000036

90 JAN -4 PH 2: 1

SUBJECT: Comprehensive Assessment Information Rule (CAIR)
Report

Dear Sir or Madame:

Attached is the Comprehensive Assessment Information Rule (CAIR) Report. It is unclear under the regulations if this report is required for our activities. We do not believe we are required to file this report; however, we are providing the report for informational purposes.

You will note that production operations at this facility ended in July of 1988. Subsequently, the plant has been sold; GM no longer owns or operates this facility.

Yours very truly,

Philip R. Kienle

Sr. Environmental Engineer
Inland Fisher Guide Division
General Motors Corporation

Ming R Kine

114ELY

90 JAN -4 PH 2: 17

	_		MANUFACTURER,			JU JAN -	, ,,, 
SECTION	1	GENERAL	MANUFACTURER,	IMPORTER,	AND	PROCESSOR	INFORMATION
			•				

		The state of the s	
PART	A G	ENERAL REPORTING INFORMATION	CONTAINS NO CBI
1.01	Thi	s Comprehensive Assessment Information Rule (CAIR) Ro	eporting Form has been
<u>CBI</u>	com	pleted in response to the $\underline{\text{Federal}}$ $\underline{\text{Register}}$ Notice of	$[\underline{1}]\underline{2}$ $[\underline{2}]\underline{2}$ $[\underline{8}]\underline{8}$ mo. $[\underline{4}]$ $[\underline{8}]$
[_]	a.	If a Chemical Abstracts Service Number (CAS No.) is	provided in the <u>Federal</u>
		Register, list the CAS No	1 <u>216141711</u> 1-[ <u>612</u> ]-[ <u>5</u> 1
	b.	If a chemical substance CAS No. is not provided in either (i) the chemical name, (ii) the mixture name the chemical substance as provided in the Federal Re	, or (iii) the trade name of
		(i) Chemical name as listed in the rule	N/A
		(ii) Name of mixture as listed in the rule	N/A
		(iii) Trade name as listed in the rule	N/A
	c.	If a chemical category is provided in the <u>Federal</u> Rethe category as listed in the rule, the chemical surreporting on which falls under the listed category, substance you are reporting on which falls under the	egister, report the name of bstance CAS No. you are and the chemical name of the
		Name of category as listed in the rule	N/A
		CAS No. of chemical substance	
		Name of chemical substance	· · · · · · · · · · · · · · · · · · ·
1.02	Ide	ntify your reporting status under CAIR by circling th	ne appropriate response(s).
CBI	Man	ufacturer	1
[_]	Imp	orter	2
	Pro	cessor	3
	X/P	manufacturer reporting for customer who is a process	sor 4
	X/P	processor reporting for customer who is a processor	5 <b>&amp; EPA-OTS</b>
			000F3F553W
		O.	
			0-90000036
[_]	Mark	(X) this box if you attach a continuation sheet.	

1.03	Does the substance you are reporting on have an "x/p" designation associated with it in the above-listed <a href="Federal Register">Federal Register</a> Notice?
	Yes       Go to question 1.04         No       []       Go to question 1.05
1.04	a. Do you manufacture, import, or process the listed substance and distribute it under a trade name(s) different than that listed in the <u>Federal</u> <u>Register</u> Notice? Circle the appropriate response.
<u>CBI</u>	Yes
	b. Check the appropriate box below:
	[] You have chosen to notify your customers of their reporting obligations  Provide the trade name(s)
	[] You have chosen to report for your customers [] You have submitted the trade name(s) to EPA one day after the effective date of the rule in the Federal Register Notice under which you are reporting.
1.05 CBI	If you buy a trade name product and are reporting because you were notified of your reporting requirements by your trade name supplier, provide that trade name.  Trade name
[_]	Is the trade name product a mixture? Circle the appropriate response.
	Yes
1.06	Certification The person who is responsible for the completion of this form must sign the certification statement below:
<u>CBI</u>	"I hereby certify that, to the best of my knowledge and belief, all information entered on this form is complete and accurate."  CHARLES E SINGER  NAME  SIGNATURE  DATE SIGNED
	NAME SIGNATURE DATE SIGNED  SENIOR PROCESS ENGINEER ()  TITLE  TELEPHONE NO.
[_]	Mark (X) this box if you attach a continuation sheet.

1.07 <u>CBI</u> [_]	Exemptions From Reporting — If you have provided EPA or another Federal agency with the required information on a CAIR Reporting Form for the listed substance within the past 3 years, and this information is current, accurate, and complete for the time period specified in the rule, then sign the certification below. You are required to complete section 1 of this CAIR form and provide any information now required but not previously submitted. Provide a copy of any previous submissions along with your Section 1 submission.				
	"I hereby certify that, to the binformation which I have not income to EPA within the past 3 years a period specified in the rule."	cluded in	this CAIR Reporting For	rm has been submitted	
	N/A				
	NAME		SIGNATURE	DATE SIGNED	
	TITLE	()	TELEPHONE NO.	DATE OF PREVIOUS SUBMISSION	
1.08 <u>CBI</u> []	certify that the following state those confidentiality claims whi  "My company has taken measures t and it will continue to take the been, reasonably ascertainable busing legitimate means (other tha judicial or quasi-judicial proinformation is not publicly avai would cause substantial harm to	ch you had been protected by other plan discovereding).	t the confidentiality of res; the information is persons (other than gove very based on a showing without my company's consewhere; and disclosure	f the information, not, and has not ernment bodies) by of special need in onsent; the of the information	
	NAME.		SIGNATURE	DATE SIGNED	
	TITLE	(	TELEPHONE NO.		
[_]	Mark (X) this box if you attach a	continua	ition sheet.		

PART	B CORPORATE DATA
1.09	Facility Identification
<u>CBI</u>	Name [F] [] 3] H  E  R  [] G  U  [] D  E  [E  L  Y  R  [] A  [] [] [] [] [] [] [] [] [] [] [] [] []
	(E)上」上」上」ー」ー」ー」ー」ー」ー」ー」ー」ー」ー」ー」ー」ー」ー」ー [ <u>ठ]</u> <u>併</u> ] [ <u>4</u> ]4] <u></u> 0] <u>3</u> ][ <u>]</u> ]
	Dun & Bradstreet Number       [0]0]-[5]3]5]-[6]6]7]3         EPA ID Number       OHD [0]0]4]2]0][1]0]7]7]         Employer ID Number       [1]1]1]1         Primary Standard Industrial Classification (SIC) Code       [3]7]7]4         Other SIC Code       [1]1]1         Other SIC Code       [1]1]1
1.10	Company Headquarters Identification
<u>CBI</u>	Name [6] [ ] N   E   R   A   L     M   O   T   O   R   S     C   O   R   P   O   R   A   T   T   O   N    Address [3] O   A   A       W   E   S   T     G   R   A   N   D     B   L   V   D     D     D      [D   E   T   R   O   T   T   D   D   D   D   D   D   D   D
[_]	Mark (X) this box if you attach a continuation sheet.

1.11	Parent Company Identification
<u>CBI</u>	Name [_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]
[_]	Address [_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]
	[_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]
	[_]_] [_]_]_]_]_]_][_]]_]_]_]_]_] State
	Dun & Bradstreet Number
1.12	Technical Contact
<u>CBI</u>	Name $[C]H]AR[L]E[S]]E[S][S][N]G[E[R]][S][S][S][S][S][S][S][S][S][S][S][S][S$
[_]	Title [S]E N T O R T P R O C E S S T E N G T N E E R T T
	Address [6]6]0]0]1E]1]1]2]1]M]1]4]E]-]7]0]1]1]1]1]1]1]1]1]1]1]1]1]1]1]1]1]1]1
	(♥1A1R1E1N1_1_1_1_1_1_1_1_1_1_1_1_1_1_1_1_1_1_
	[M]I] [4]8]0]9]0][9]0]0]9] State
	Telephone Number[3]7]3]-[5]7]8]-[3]0]0]6]
1.13	This reporting year is from $[\overline{O}]\overline{I}$ $[\overline{8}]\overline{8}$ to $[\overline{O}]\overline{I}$ $[\overline{8}]\overline{9}$ Mo. Year Mo. Year
[_]	Mark (X) this box if you attach a continuation sheet.

1.14	Facility Acquired If you purchased this facility during the reporting year, provide the following information about the seller:
CBI	Name of Seller [ ] ] ] ] ] ] ] ] ] ] ] ] ] ] ] ] ] ]
[_]	Mailing Address [_]_]_]_]_]_]_]_]_]_]_]]]]]]]]]]]]]]]
	[_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]
	[_]_] [_]_]_][_]_]][_] State
	Employer ID Number
	Date of Sale
	Contact Person [_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]
	Telephone Number[_]_]_]_[_]_[_]_]_[_]_]_
1.15	Facility Sold If you sold this facility during the reporting year, provide the following information about the buyer:
CBI	Name of Buyer [_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]
[_]	Mailing Address [_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]]]]]]]]
	[_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]
	[_]_] [_]]]]]]]-[_]]_] State
	Employer ID Number
	Date of Purchase
	Contact Person [_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]
	Telephone Number
[_]	Mark (X) this box if you attach a continuation sheet.

<u>CBI</u>	was manufactured, imported, or processed at your facility during th Classification	Quantity (kg/yr)
[_]		
	Manufactured	
	Imported	
	Processed (include quantity repackaged)	<u>818,735</u>
	Of that quantity manufactured or imported, report that quantity:	
	In storage at the beginning of the reporting year	0
	For on-site use or processing	
	For direct commercial distribution (including export)	0
	In storage at the end of the reporting year	O
	Of that quantity processed, report that quantity:	
	In storage at the beginning of the reporting year	46,193
	Processed as a reactant (chemical producer)	<b>6</b>
	Processed as a formulation component (mixture producer)	O
	Processed as an article component (article producer)	818,735
	Repackaged (including export)	(1)
	In storage at the end of the reporting year	
	PRODUCTION COMPLETELY STOPPED 7/1/88 PLANT CLOSED 7/1/88	

or ch	xture If the listed substance a component of a mixture, premical. (If the mixture component chemical for all	rovide the following info position is variable, rep	rmation for each component
]	Component Name	Supplier Name	Average % Composition by Weigh (specify precision, e.g., 45% ± 0.5%)
_			
			Total 100%

2.04	State the quantity of the listed substance that your facility manufactured, imported, or processed during the 3 corporate fiscal years preceding the reporting year in descending order.
CBI	
[_]	Year ending
	Quantity manufactured kg
	Quantity imported kg
	Quantity processed
	Year ending
	Quantity manufactured kg
	Quantity imported kg
	Quantity processed
	Year ending
	Quantity manufactured kg
	Quantity imported kg
	Quantity processed
2.05 <u>CBI</u>	Specify the manner in which you manufactured the listed substance. Circle all appropriate process types.
[_]	
	Continuous process
	Semicontinuous process
	Batch process
[_]	Mark (X) this box if you attach a continuation sheet.

2.06 CBI	Specify the manner in appropriate process	n which you processed th types.	ne listed substance.	Circle all
[_]	Continuous process			1
	Semicontinuous proces	SS	• • • • • • • • • • • • • • • • • • • •	2
	Batch process	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	3
2.07 <u>CBI</u>		s name-plate capacity fo are a batch manufacturer N/A		do not answer this
١ ١	Manufacturing capaci	ty		kg/yr
	Processing capacity			kg/yr
2.08 <u>CBI</u>	manufactured, importe	rease or decrease the queed, or processed at any ncrease or decrease base	time after your curre ed upon the reporting	nt corporate fiscal year's production
[ ]		Manufacturing	Importing	Processing
٠ ،		Quantity (kg)	Quantity (kg)	Quantity (kg)
· 1	Amount of increase	Quantity (kg)	Quantity (kg)	Quantity (kg)
1	Amount of increase Amount of decrease	Quantity (kg)	Quantity (kg)	
1	Amount of decrease  Portage	LANT CLOSED & ASED PRODUCTION	7/1/88	
1	Amount of decrease  Portage	LANT CLOSED & ASED PRODUCTION	7/1/88	100% DECREASE
1	Amount of decrease  Portage		7/1/88	
1	Amount of decrease  Portage	LANT CLOSED & ASED PRODUCTION	7/1/88	
1	Amount of decrease  Portage	LANT CLOSED & ASED PRODUCTION	7/1/88	
1	Amount of decrease  Portage	LANT CLOSED & ASED PRODUCTION	7/1/88	
1	Amount of decrease  Portage	LANT CLOSED & ASED PRODUCTION	7/1/88	
1	Amount of decrease  Portage	LANT CLOSED & ASED PRODUCTION	7/1/88	

2.09	listed substanc	argest volume manufacturing or processing procese, specify the number of days you manufactured of the reporting year. Also specify the average s type was operated. (If only one or two opera	or processed number of h	the listed ours per
<u>CBI</u>			Days/Year	Average Hours/Day
	Process Type #1	(The process type involving the largest quantity of the listed substance.)		
		Manufactured		
		Processed	120	_16
	Process Type #2	(The process type involving the 2nd largest quantity of the listed substance.)		
		Manufactured		
		Processed	120	16
	Process Type #3	(The process type involving the 3rd largest quantity of the listed substance.)		
		Manufactured		
		Processed	120	_16
2.10 <u>CBI</u> [_]	substance that chemical.  Maximum daily in	um daily inventory and average monthly inventory was stored on-site during the reporting year in necessary necessary.  Note: The content of t	the form of	ted a bulk k kg
[_]	Mark (X) this b	ox if you attach a continuation sheet.		

 etc.). NONE KNOWN					
CAS No.	Chemical Name	Byproduct, Coproduct or Impurity <sup>1</sup>	Concentration (%) (specify ± % precision)	Source of By products, Co products, or Impurities	
	-				
		····	<del> </del>		

Product Types	b. % of Quantity Manufactured, Imported, or Processed		% of Quantity Used Captively On-Site	d.  Type of End-Users <sup>2</sup>
B	100	<del></del>		
 <pre>""""""""""""""""""""""""""""""""""""</pre>	Accelerator/	L = M = N = O = P =	Moldable/Castabl Plasticizer Dye/Pigment/Colo Photographic/Rep and additives	e/Rubber and additives rant/Ink and additives rographic chemical
F = Chelator/Coagulant/ G = Cleanser/Detergent/ H = Lubricant/Friction agent I = Surfactant/Emulsifi J = Flame retardant K = Coating/Binder/Adhe	Degreaser modifier/Antiwear er	R = S = T = U = V = W = W	Explosive chemic Fragrance/Flavor Pollution contro Functional fluid Metal alloy and Rheological modi	als and additives chemicals l chemicals s and additives additives
<sup>2</sup> Use the following codes I = Industrial	CS = Cons	umer		

<u>I</u>	import, or process for substance used during t	each use as a perc he reporting year. as a percentage of each product type.	entage of the total Also list the qua the value listed o	antity of listed substanc under column b., and the
	a.	b.	с.	d.
	Product Types <sup>1</sup>	% of Quantity Manufactured, Imported, or Processed	% of Quantity Used Captive On-Site	
	$\mathcal{B}$	100		
	<sup>1</sup> Use the following code	s to designate pro	duct types:	
	A = Solvent	s to designate pro	L = Moldable/Cast	able/Rubber and additive
	A = Solvent B = Synthetic reactant		L = Moldable/Cast M = Plasticizer	
	<pre>A = Solvent B = Synthetic reactant C = Catalyst/Initiator</pre>		L = Moldable/Cast M = Plasticizer N = Dye/Pigment/C	Colorant/Ink and additive
	<pre>A = Solvent B = Synthetic reactant C = Catalyst/Initiator     Sensitizer</pre>	/Accelerator/	L = Moldable/Cast M = Plasticizer N = Dye/Pigment/C	Colorant/Ink and additive Reprographic chemical
	<pre>A = Solvent B = Synthetic reactant C = Catalyst/Initiator     Sensitizer D = Inhibitor/Stabiliz     Antioxidant</pre>	/Accelerator/	L = Moldable/Cast M = Plasticizer N = Dye/Pigment/C O = Photographic/ and additives P = Electrodeposi	Colorant/Ink and additive (Reprographic chemical : tion/Plating chemicals
	<pre>A = Solvent B = Synthetic reactant C = Catalyst/Initiator     Sensitizer D = Inhibitor/Stabiliz     Antioxidant E = Analytical reagent</pre>	/Accelerator/ er/Scavenger/	L = Moldable/Cast M = Plasticizer N = Dye/Pigment/C O = Photographic/ and additives P = Electrodeposi Q = Fuel and fuel	Colorant/Ink and additive Reprographic chemical tion/Plating chemicals additives
	<pre>A = Solvent B = Synthetic reactant C = Catalyst/Initiator</pre>	/Accelerator/ er/Scavenger/ /Sequestrant	L = Moldable/Cast M = Plasticizer N = Dye/Pigment/C O = Photographic/ and additives P = Electrodeposi Q = Fuel and fuel R = Explosive che	Colorant/Ink and additive Reprographic chemical tion/Plating chemicals additives micals and additives
	<pre>A = Solvent B = Synthetic reactant C = Catalyst/Initiator     Sensitizer D = Inhibitor/Stabiliz     Antioxidant E = Analytical reagent F = Chelator/Coagulant G = Cleanser/Detergent</pre>	/Accelerator/ er/Scavenger/ /Sequestrant /Degreaser	L = Moldable/Cast M = Plasticizer N = Dye/Pigment/C O = Photographic/ and additives P = Electrodeposi Q = Fuel and fuel R = Explosive che S = Fragrance/Fla	Colorant/Ink and additive Reprographic chemical tion/Plating chemicals additives micals and additives evor chemicals
	<pre>A = Solvent B = Synthetic reactant C = Catalyst/Initiator     Sensitizer D = Inhibitor/Stabiliz     Antioxidant E = Analytical reagent F = Chelator/Coagulant G = Cleanser/Detergent H = Lubricant/Friction</pre>	/Accelerator/ er/Scavenger/ /Sequestrant /Degreaser	L = Moldable/Cast M = Plasticizer N = Dye/Pigment/C O = Photographic/ and additives P = Electrodeposi Q = Fuel and fuel R = Explosive che S = Fragrance/Fla T = Pollution com	Colorant/Ink and additive (Reprographic chemical tion/Plating chemicals additives and additives took chemicals at the chemicals at the chemicals
	<pre>A = Solvent B = Synthetic reactant C = Catalyst/Initiator     Sensitizer D = Inhibitor/Stabiliz     Antioxidant E = Analytical reagent F = Chelator/Coagulant G = Cleanser/Detergent</pre>	/Accelerator/ er/Scavenger/ /Sequestrant /Degreaser modifier/Antiwear	L = Moldable/Cast M = Plasticizer N = Dye/Pigment/C O = Photographic/ and additives P = Electrodeposi Q = Fuel and fuel R = Explosive che S = Fragrance/Fla T = Pollution con U = Functional fl	Colorant/Ink and additive Reprographic chemical tion/Plating chemicals additives and additives trol chemicals uids and additives
	<pre>A = Solvent B = Synthetic reactant C = Catalyst/Initiator     Sensitizer D = Inhibitor/Stabiliz     Antioxidant E = Analytical reagent F = Chelator/Coagulant G = Cleanser/Detergent H = Lubricant/Friction     agent I = Surfactant/Emulsif J = Flame retardant</pre>	/Accelerator/ er/Scavenger/ /Sequestrant /Degreaser modifier/Antiwear	L = Moldable/Cast M = Plasticizer N = Dye/Pigment/O O = Photographic/ and additives P = Electrodeposi Q = Fuel and fuel R = Explosive che S = Fragrance/Fla T = Pollution con U = Functional fl V = Metal alloy a W = Rheological m	Colorant/Ink and additive Reprographic chemical tion/Plating chemicals additives and additives trol chemicals uids and additives
	<pre>A = Solvent B = Synthetic reactant C = Catalyst/Initiator     Sensitizer D = Inhibitor/Stabiliz     Antioxidant E = Analytical reagent F = Chelator/Coagulant G = Cleanser/Detergent H = Lubricant/Friction     agent I = Surfactant/Emulsif</pre>	/Accelerator/ er/Scavenger/ /Sequestrant /Degreaser modifier/Antiwear	L = Moldable/Cast M = Plasticizer N = Dye/Pigment/O O = Photographic/ and additives P = Electrodeposi Q = Fuel and fuel R = Explosive che S = Fragrance/Fla T = Pollution con U = Functional fl V = Metal alloy a W = Rheological m	Colorant/Ink and additive Reprographic chemical tion/Plating chemicals additives and additives trol chemicals uids and additives
	<pre>A = Solvent B = Synthetic reactant C = Catalyst/Initiator     Sensitizer D = Inhibitor/Stabiliz     Antioxidant E = Analytical reagent F = Chelator/Coagulant G = Cleanser/Detergent H = Lubricant/Friction     agent I = Surfactant/Emulsif J = Flame retardant</pre>	/Accelerator/ er/Scavenger/ /Sequestrant /Degreaser modifier/Antiwear ier esive and additives	L = Moldable/Cast M = Plasticizer N = Dye/Pigment/C O = Photographic/ and additives P = Electrodeposi Q = Fuel and fuel R = Explosive che S = Fragrance/Fla T = Pollution con U = Functional fl V = Metal alloy a W = Rheological m S X = Other (specif	Colorant/Ink and additive Reprographic chemical tion/Plating chemicals additives additives are chemicals atrol chemicals uids and additives and additives and additives and additives and additives and additives and if ier
	<pre>A = Solvent B = Synthetic reactant C = Catalyst/Initiator     Sensitizer D = Inhibitor/Stabiliz     Antioxidant E = Analytical reagent F = Chelator/Coagulant G = Cleanser/Detergent H = Lubricant/Friction     agent I = Surfactant/Emulsif J = Flame retardant K = Coating/Binder/Adhe</pre>	/Accelerator/ er/Scavenger/ /Sequestrant /Degreaser modifier/Antiwear ier esive and additives	L = Moldable/Cast M = Plasticizer N = Dye/Pigment/C O = Photographic/ and additives P = Electrodeposi Q = Fuel and fuel R = Explosive che S = Fragrance/Fla T = Pollution con U = Functional fl V = Metal alloy a W = Rheological m S X = Other (specif	Colorant/Ink and additive Reprographic chemical tion/Plating chemicals additives additives are chemicals atrol chemicals uids and additives and additives and additives and additives and additives and additives and if ier
	A = Solvent B = Synthetic reactant C = Catalyst/Initiator	/Accelerator/ er/Scavenger/ /Sequestrant /Degreaser modifier/Antiwear ier esive and additives s to designate the  CS = Cons	L = Moldable/Cast M = Plasticizer N = Dye/Pigment/C O = Photographic/ and additives P = Electrodeposi Q = Fuel and fuel R = Explosive che S = Fragrance/Fla T = Pollution con U = Functional fl V = Metal alloy a W = Rheological m S X = Other (specif	Colorant/Ink and additive Reprographic chemical tion/Plating chemicals additives additives are chemicals atrol chemicals uids and additives and additives and additives and additives and additives and additives and if ier

a.	b.	c. Average %	d.				
Product Type <sup>1</sup>	Final Product's Physical Form <sup>2</sup>	Composition of Listed Substance in Final Product	Type of End-Users <sup>3</sup>				
<sup>1</sup> Use the following co	odes to designate pro						
A = Solvent B = Synthetic reacta C = Catalyst/Initia Sensitizer	tor/Accelerator/	L = Moldable/Castable M = Plasticizer N = Dye/Pigment/Color 0 = Photographic/Repr	cant/Ink and addi				
D = Inhibitor/Stabil Antioxidant E = Analytical reage	ent	and additives P = Electrodeposition Q = Fuel and fuel add	ditives				
<pre>F = Chelator/Coagula G = Cleanser/Deterge H = Lubricant/Fricti agent</pre>		R = Explosive chemica S = Fragrance/Flavor T = Pollution control U = Functional fluids	chemicals L chemicals				
<pre>I = Surfactant/Emuls J = Flame retardant</pre>		V = Metal alloy and a W = Rheological modifies X = Other (specify)	additives				
<sup>2</sup> Use the following co	<sup>2</sup> Use the following codes to designate the final product's physical form:						
<pre>A = Gas B = Liquid C = Aqueous solution D = Paste E = Slurry F1 = Powder</pre>	F3 = Grain $F4 = Oth $ $G = Ge$	ner solid	·····				
<sup>3</sup> Use the following co	des to designate the	e type of end-users:					
<pre>I = Industrial CM = Commercial</pre>	CS = Cor H = Oth	nsumer ner (specify)					

2.15 CBI	list	le all applicable modes of transportation used to deliver bulk shipments of ed substance to off-site customers.					
[_]	Trucl	k	1				
<del></del>	Rail	car	2				
	Barge	e, Vessel	3				
	Pipe:	Pipeline 4					
	Plane	e	5				
	0the	r (specify)	6				
2.16 <u>CBI</u> []	or prof er	omer Use Estimate the quantity of the listed substance used by your customers during the reporting year for use under each cate and use listed (i-iv).  NA  gory of End Use					
	i.	Industrial Products					
		Chemical or mixture	kg/yr				
		Article	kg/yr				
	ii.	Commercial Products					
		Chemical or mixture	kg/yr				
		Article	kg/yr				
	iii.	Consumer Products					
		Chemical or mixture	kg/yr				
		Article	kg/yr				
	iv.	0ther					
		Distribution (excluding export)	kg/yr				
		Export	kg/yr				
		Quantity of substance consumed as reactant	kg/yr				
		Unknown customer uses	kg/yr				
[_]	Mark	(X) this box if you attach a continuation sheet.					

	SECTION 3 PROCESSOR RAW MATERIAL IDE	NTIFICATION			
PART	A GENERAL DATA				
3.01 <u>CBI</u>	for each major source of supply listed. Product trades are treated as purchases. The average price is the market value of the product that was traded for the list substance.				
t1	Source of Supply	Quantity (kg)	Average Price (\$/kg)		
	The listed substance was manufactured on-site.				
	The listed substance was transferred from a different company site.	- Angle de la companya de la company			
	The listed substance was purchased directly from a manufacturer or importer.	818,735	1.98		
Y	The listed substance was purchased from a distributor or repackager.				
	The listed substance was purchased from a mixture producer.	د نده و د د کرد د د د د د د د د د د د د د د د د			
3.02 CBI	Circle all applicable modes of transportation used to your facility.	deliver the lis	ted substance to		
	Truck		_		
	Railcar		2		
·	Barge, Vessel				
	Pipeline		4		
	Plane		5		
	Other (specify)		6		

3.03 <u>CBI</u>	a.	Circle all applicable containers used to transport the listed substance to your facility.
[_]		Bags 1
		Boxes 2
		Free standing tank cylinders
		Tank rail cars
		Hopper cars
		Tank trucks
		Hopper trucks
		Drums
		Pipeline
		Other (specify)10
	b.	If the listed substance is transported in pressurized tank cylinders, tank rail cars, or tank trucks, state the pressure of the tanks.
		Tank cylinders
		Tank rail cars (ATMOSPHERIC) 760 mmHg
		Tank trucks
[_]	Mar	k (X) this box if you attach a continuation sheet.

3.04 <u>CBI</u> [_]	of the mixture, the raverage percent compo	name of its supplier(s)	e form of a mixture, list the trade name(s) (s) or manufacturer(s), an estimate of the the listed substance in the mixture, and the porting year.		
	Trade Name	Supplier or Manufacturer	Average % Composition by Weight (specify ± % precision)	Amount Processed (kg/yr)	
				· · · · · · · · · · · · · · · · · · ·	
			·		

3.05 <u>CBI</u> [_]	reporting year in the form	State the quantity of the listed substance used as a raw mater reporting year in the form of a class I chemical, class II che the percent composition, by weight, of the listed substance.				
,	Class I chemical	Quantity Used (kg/yr) 818,735	% Composition by Weight of Listed Sub- stance in Raw Material (specify ± % precision			
	Class II chemical					
	Polymer					

	SECT	ION 4 PHYSICAL/CHEMIC	CAL PROPERTIES				
Gener	al Instructions:						
If yo 4 tha	ou are reporting on a mixtout are inappropriate to mix	ure as defined in the ktures by stating "NA	glossary, reply to qu mixture."	uestions in Section			
notio	uestions 4.06-4.15, if you e that addresses the info mile in lieu of answering	rmation requested, you	ı may submit a copy oı	oel, MSDS, or other reasonable			
PART	A PHYSICAL/CHEMICAL DATA	SUMMARY					
4.01 <u>CBI</u>	Specify the percent puri substance as it is manufacture substance in the final primport the substance, or	actured, imported, or roduct form for manufa	processed. Measure tacturing activities, a	the purity of the at the time you			
[_]		Manufacture	Import	Process			
	Technical grade #1	% purity	% purity				
	Technical grade #2	% purity	% purity	% purity			
	Technical grade #3	% purity	% purity	% purity			
	<sup>1</sup> Major = Greatest quanti	ty of listed substance	e manufactured, import	ed or processed.			
		Submit your most recently updated Material Safety Data Sheet (MSDS) for the listed substance, and for every formulation containing the listed substance. If you possess an MSDS that you developed and an MSDS developed by a different source, submit your version. Indicate whether at least one MSDS has been submitted by circling the appropriate response.					
4.02	substance, and for every an MSDS that you develop version. Indicate whether	formulation containin ed and an MSDS develop	ng the listed substand ped by a different sou	ce. If you possess irce, submit your			
4.02	substance, and for every an MSDS that you develop version. Indicate whether	formulation containing developed and an MSDS developer at least one MSDS b	ng the listed substand ped by a different sou nas been submitted by	ce. If you possess arce, submit your circling the			
4.02	substance, and for every an MSDS that you develop version. Indicate whethe appropriate response.	formulation containing development and an MSDS development at least one MSDS because of the management	ng the listed substand bed by a different sou has been submitted by	ee. If you possess arce, submit your circling the			
4.02	substance, and for every an MSDS that you develop version. Indicate whethe appropriate response.  Yes	formulation containing development and an MSDS development at least one MSDS because of the management	ng the listed substand ped by a different sou has been submitted by	ee. If you possess arce, submit your circling the			
4.02	substance, and for every an MSDS that you develop version. Indicate whethe appropriate response.  Yes	formulation containing developed and an MSDS developer at least one MSDS because of the management of	ng the listed substanded by a different sounds been submitted by	ee. If you possess arce, submit your circling the			
4.02	substance, and for every an MSDS that you developed version. Indicate whether appropriate response.  Yes	formulation containing dand an MSDS developer at least one MSDS h	ng the listed substance bed by a different sound has been submitted by the	ee. If you possess arce, submit your circling the			

### MATERIAL SAFETY DATA SHEET

**DIVISION ADDRESS Mobay Corporation** 

A Bayer usainc. COMPANY



MOBAY CORPORATION Polyurethane Division Mobay Road Pittsburgh, PA 15205-9741

ISSUE DATE **SUPERSEDES**  9/14/87 3/30/87

TRANSPORTATION EMERGENCY: CALL CHEMTREC

TELEPHONE NO: 800-424-9300; DISTRICT OF COLUMBIA: 202-483-7616

MOBAY NON-TRANSPORTATION EMERGENCY NO.: (412) 923-1800

#### I. PRODUCT IDENTIFICATION

PRODUCT NAME....: Mondur TD-80 (All Grades)

PRODUCT CODE NUMBER....: E-002

CHEMICAL FAMILY....: Aromatic Isocyanate

Toluene Diisocyanate (TDI) CHEMICAL NAME....:

SYNONYMS....: Benzene, 1,3-diisocyanato methyl-

26471-62-5 CAS NUMBER....: T.S.C.A. STATUS....: On Inventory

OSHA HAZARD COMMUNICATION

This product is hazardous under the criteria of **STATUS....:** 

the Federal OSHA Hazard Communication Standard 29 CFR 1910.1200.

CHEMICAL FORMULA....:  $C_9H_6N_2O_2$ 

#### HAZARDOUS INGREDIENTS

ACGIH-TLV OSHA-PEL **COMPONENTS:** %: 0.02 ppm 0.005 ppm TWA 80% 2,4-Toluene Diisocyanate (TDI) 0.02 ppm STEL Ceiling CAS# 584-84-9 Not Established 2,6-Toluene Diisocyanate (TDI) 20% Not Established

CAS# 91-08-7

#### III. PHYSICAL DATA

APPEARANCE....: Liquid COLOR....: Water white to pale yellow

Sharp, pungent

Greater than TLV of 0.005 ppm ODOR THRESHOLD....:

MOLECULAR WEIGHT....: 174

Approx. 55°F (13°C) Approx. 484°F (25°C) **MELT POINT/FREEZE POINT..:** BOILING POINT....:

Approx. 0.025 mmHg @ 77°F (25°C) VAPOR PRESSURE....:

VAPOR DENSITY (AIR=1)....: 6.0

Not Applicable 1.22 @ 77°F (25°C) SPECIFIC GRAVITY....:

BULK DENSITY...... 10.18 lbs/gal

SOLUBILITY IN WATER....: Reacts slowly with water at normal room

temperature to liberate CO2 gas.

% VOLATILE BY VOLUME. ...: Negligible

Product Code: E-002 Page 1 of 8

The first tenth of the first area in the first tenth of the first tent

Termetre, to viewpred by terme as the termeter the constant

#### IV. FIRE & EXPLOSION DATA

FLASH POINT OF (OC).....: 260°F (127°C) Pensky-Martens Closed Cup FLAMMABLE LIMITS -

EXTINGUISHING MEDIA....: Dry chemical (e.g. monaommonium phosphate, potassium sulfate, and potassium chloride), carbon dioxide, high expansion (proteinic) chemical foam, water spray for large fires. <u>Caution</u>: Reaction

between water or foam and hot TDI can be vigorous.

SPECIAL FIRE FIGHTING PROCEDURES/UNUSUAL FIRE OR EXPLOSION HAZARDS:
Full emergency equipment with self-contained breathing apparatus and full protective clothing (such as rubber gloves, boots, bands around legs, arms and waist) should be worn by fire fighters. No skin surface should be exposed. During a fire, TDI vapors and other irritating, highly toxic gases may generated by thermal decomposition or combustion. (See Section VIII). At temperatures greater than 350°F (177°C) TDI forms carbodiimides with the release of CO<sub>2</sub> which can cause pressure build-up in closed containers. Explosive rupture is possible. Therefore, use cold water to cool fire-exposed containers.

#### V. HUMAN HEALTH DATA

PRIMARY ROUTE(S) OF

ENTRY...... Inhalation. Skin contact from liquid, vapors or aerosols.

EFFECTS AND SYMPTOMS OF OVEREXPOSURE INHALATION

Acute Exposure. TDI vapors or mist at concentrations above the TLV can irritate (burning sensation) the mucous membranes in the respiratory tract (nose, throat, lungs) causing runny nose, sore throat, coughing, chest discomfort, shortness of breath and reduced lung function (breathing obstruction). Persons with a preexisting, nonspecific bronchial hyperractivity can respond to concentrations below the TLV with similar symptoms as well as asthma attack. Exposure well above the TLV may lead to bronchitis, bronchial spasm and pulmonary edema (fluid in lungs). These effects are usually reversible. Chemical or hypersensitive pneumonitis, with flu-like symptoms (e.g., fever, chills), has also been reported. These symptoms can be delayed up to several hours after exposure.

Chronic Exposure. As a result of previous repeated overexposures or a single large dose, certain individuals may develop isocyanate sensitization (chemical asthma) which will cause them to react to a later exposure to isocyanate at levels well below the TLV. These symptoms, which can include chest tightness, wheezing, cough, shortness of breath or asthmatic attack, could be immediate or delayed up to several hours after exposure. Similar to many non-specific asthmatic responses, there are reports that once sensitized an individual can experience these symptoms upon exposure to dust, cold air or other irritants. This increased lung sensitivity can persist for weeks and in severe cases for several years. Chronic overexposure to isocyanate has also been reported to cause lung damage (including decrease in lung function) which may be permanent. Sensitization can either be temporary or permanent.

Product Code: E-002 Page 2 of 8

#### V. **HUMAN HEALTH DATA** (Continued)

#### SKIN CONTACT

Acute Exposure. Isocyanates react with skin protein and moisture and can cause irritation which may include the following symptoms: reddening, swelling, rash, scaling or blistering. Cured material is difficult to

<u>Chronic Exposure.</u> Prolonged contact can cause reddening, swelling, rash, scaling, blistering, and, in some cases, skin sensitization. Individuals who have developed a skin sensitization can develop these symptoms as a result of contact with very small amounts of liquid material or as a result of exposure to vapor.

#### **EYE CONTACT**

Acute Exposure. Liquid, aerosols or vapors are severely irritating and can cause pain, tearing, reddening and swelling. If left untreated, corneal damage can occur and injury is slow to heal. However, damage is usually reversible. See Section VI for treatment.

Chronic Exposure. Prolonged vapor contact may cause conjunctivitis.

#### INGESTION

Acute Exposure. Can result in irritation and corrosive action in the mouth, stomach tissue and digestive tract. Symptoms can include sore throat, abdominal pain, nausea, vomiting and diarrhea. Chronic Exposure. None found.

#### MEDICAL CONDITIONS

AGGRAVATED BY EXPOSURE..: Asthma, other respiratory disorders (bronchitis, emphysema, bronchial hyperractivity), skin allergies, eczema.

CARCINOGENICITY...... No carcinogenic activity was observed in lifetime inhalation studies in rats and mice (International Isocyanate Institute).

NTP..... The National Toxicology Program reported that TDI caused an increase in the number of tumors in exposed rats over those counted in non-exposed rats. The TDI was administered in corn-oil and introduced into the stomach through a tube. Based on this study, the NTP has listed TDI as a substance that may reasonably be anticipated to be a carcinogen in its Fourth Annual Report on Carcinogens.

IARC...... IARC has announced that it will list TDI as a substance for which there is sufficient evidence for its carcinogenicity in experimental animals but inadequate evidence for the carcinogencity of TDI to humans (IARC Monograph 39). Carpi Talling to the Mill Compare to the Markets

OSHA..... Not listed. EXPOSURE LIMITS TO THE RESERVE OF TH

OSHA PEL..... 0.02 ppm Ceiling ACGIH TLV..... 0.005 ppm TWA/0.02 ppm STEL

### VI. EMERGENCY & FIRST AID PROCEDURES

THE STATE OF THE S

.......... Flush with copious amounts of water, preferably lukewarm for at least 15 minutes holding eyelids open all the time. Refer individual to physician or an ophthalmologist for immediate follow-up.

> Product Code: E-002 Page 3 of 8

#### VI. EMERGENCY & FIRST AID PROCEDURE (Continued)

SKIN CONTACT..... Remove contaminated clothing immediately. Wash affected areas thoroughly with soap and water for at least 15 minutes. Tincture of green soap and water is also effective in removing isocyanates. Wash contaminated clothing thoroughly before reuse. For severe exposures, get under safety shower after removing clothing, then get medical attention. For lesser exposures, seek medical attention if irritation develops or persists after the area is washed. INHALATION..... Move to an area free from risk of further exposure. Administer oxygen or artificial respiration as needed. Obtain medical attention. Asthmatic-type symptoms may develop and may be immediate or delayed up to several hours. Consult physician. INGESTION..... Do not induce vomiting. Give 1 to 2 cups of milk or water to drink. DO NOT GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. Consult physician. NOTE TO PHYSICIAN..... Eyes. Stain for evidence of corneal injury. If cornea is burned, instill antibiotic steroid preparation frequently. Workplace vapors have produced reversible corneal epithelial edema impairing vision. Skin. This compound is a known skin sensitizer. Treat symptomatically as for contact dermatitis or thermal burns. Inquestion. Treat symptomatically. There is no specific antidote. Inducing vomiting is contraindicated because of the irritating nature of this compound. Respiratory. This compound is a known pulmonary sensitizer. Treatment is essentially symptomatic. An individual having a skin or pulmonary sensitization reaction to this material should be removed from exposure to any isocvanate.

## VII. <u>EMPLOYEE PROTECTION RECOMMENDATIONS</u>

EYE PROTECTION..... Liquid chemical goggles or full-face shield. Contact lenses should not be worn. If vapor exposure is causing irritation, use a full-face, air-supplied respirator. SKIN PROTECTION...... Chemical resistant gloves (butyl rubber, nitrile rubber, polyvinyl alcohol). However, please note that PVA degrades in water. Cover as much of the exposed skin area as possible with appropriate clothing. If skin creams are used, keep the area covered only by the cream to a minimum. RESPIRATORY PROTECTION....: An approved positive pressure air-supplied respirator is required whenever TDI concentrations are not known or exceed the Short-Term Exposure or Ceiling Limit of 0.02 ppm or exceed the 8-hour Time Weighted Average TLV of 0.005 ppm. An approved air-supplied respirator with full facepiece must also be worn during spray application, even if exhaust ventilation is used. For emergency and other conditions where the exposure limits may be greatly exceeded, use an approved, positive pressure self-contained breathing apparatus. TDI has poor warning properties since the odor at which TDI can be smelled is substantially higher than 0.02 ppm. Observe OSHA regulations for respirator use (29 CFR 1910.134).

Product Code: E-002
Page 4 of 8

#### VII. EMPLOYEE PROTECTION RECOMMENDATIONS (Continued)

VENTILATION.....: Local exhaust should be used to maintain levels below the TLV whenever TDI is handled, processed, or spray-applied. At normal room temperatures (70°F) TDI levels quickly exceed the TLV unless properly ventilated. Standard reference sources regarding industrial ventilation (e.g., ACGIH Industrial Ventilation) should be consulted for guidance about adequate ventilation.

MONITORING.....: TDI exposure levels must be monitored by accepted monitoring techniques to ensure that the TLV is not exceeded. (Contact Mobay for guidance). See Volume 1 (Chapter 17) and Volume 3 (Chapter 3) in Patty's Industrial Hygiene and Toxicology for sampling strategy.

MEDICAL SURVEILLANCE.....: Medical supervision of all employees who handle or come in contact with TDI is recommended. These should include preemployment and periodic medical examinations with respiratory function tests (FEV, FVC as a minimum). Persons with asthmatic-type conditions, chronic bronchitis, other chronic respiratory diseases or recurrent skin eczema or sensitization should be excluded from working with TDI. Once a person is diagnosed as sensitized to TDI, no further exposure can be nermitted.

OTHER...... Safety showers and eyewash stations should be available. Educate and train employees in safe use of product. Follow all label instructions.

#### VIII. REACTIVITY DATA

(MATERIALS TO AVOID)....: Water, amines, strong bases, alcohols. Will cause some corrosion to copper alloys and aluminum. Reacts with water to form heat, CO, and insoluble ureas.

HAZARDOUS DECOMPOSITION

**PRODUCTS.....** By high heat and fire: carbon monoxide, oxides of nitrogen, traces of HCN, TDI vapors and mist.

### IX. SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Evacuate and ventilate spill area; dike spill to prevent entry into water system; wear full protective equipment, including respiratory equipment during clean-up. (See Section VII).

Major Spill: Call Mobay at 412/923-1800. If transportation spill, call CHEMTREC 800/424-9300. If temporary control of isocyanate vapor is required, a blanket of protein foam (available at most fire departments) may be placed over the spill. Large quantities may be pumped into closed, but not sealed, container for disposal.

Product Code: E-002
Page 5 of 8

#### IX. SPILL OR LEAK PROCEDURES (Continued)

Minor Spill: Absorb isocyanate with sawdust or other absorbent, shovel into suitable unsealed containers, transport to well-ventilated area (outside) and treat with neutralizing solution: mixture of water (80%) with non-ionic surfactant Tergitol TMN-10 (20%), or; water (90%), concentrated ammonia (3-8%) and detergent (2%). Add about 10 parts or neutralizer per part of isocyanate, with mixing. Allow to stand uncovered for 48 hours to let CO<sub>2</sub> escape. Clean-up: Decontaminate floor with decontamination solution letting stand for at least 15 minutes.

CERCLA (SUPERFUND) REPORTABLE QUANTITY: 100 pounds for TDI

WASTE DISPOSAL METHOD....: Follow all federal, state or local regulations. TDI must be disposed of in a permitted incinerator or landfill. Incineration is the preferred method for liquids. Solids are usually incinerated or landfilled. Empty containers must be handled with care due to product residue. Decontaminate containers prior to disposal. Empty decontaminated containers should be crushed to prevent reuse. DO NOT HEAT OR CUT EMPTY CONTAINER WITH ELECTRIC OR GAS TORCH. (See Sections IV and VIII). Vapors and gases may be highly toxic.

#### X. SPECIAL PRECAUTIONS & STORAGE DATA

STORAGE TEMPERATURE

(MIN./MAX.)..... 70°F (21°C)/90°F (32°C)

AVERAGE SHELF LIFE..... 12 months

SPECIAL SENSITIVITY

(HEAT, LIGHT, MOISTURE): If container is exposed to high heat, 375°F (177°C) it can be pressurized and possibly rupture. TDI reacts slowly with water to form polyureas and liberates CO, gas. This gas can cause sealed containers to expand and possibly rupture.

PRECAUTIONS TO BE TAKEN

IN HANDLING AND STORING.: Store in tightly closed containers to prevent moisture contamination. Do not reseal if contamination is suspected. Prevent all contact. Do not breathe the vapors. Warning properties (irritation of the eyes, nose and throat or odor) are not adequate to prevent chronic overexposure from inhalation. This material can produce asthmatic sensitization upon either single inhalation exposure to a relatively high concentration or upon repeated inhalation exposures to lower concentrations. Exposure to vapors of heated TDI can be extremely dangerous. Employee education and training in safe handling of this product are required under the OSHA Hazard Communication Standard.

Product Code: E-002 Page 6 of 8 a ferrogal binese in italia abb

#### XI. SHIPPING DATA

D.O.T. SHIPPING NAME...: Toluene Diisocyanate
TECHNICAL SHIPPING NAME...: Toluene Diisocyanate
D.O.T. HAZARD CLASS....: Poison B
UN/NA NO....: UN 2078
PRODUCT RQ....: 100 pounds
D.O.T. LABELS...: Poison
D.O.T. PLACARDS...: Poison

FRT. CLASS BULK...... Toluene Diisocyanate

FRT. CLASS PKG...... Chemicals, NOI (Toluene Diisocyante) NMFC 60000

PRODUCT LABEL..... Mondur TD-80 Product Label

#### XII. ANIMAL TOXICITY DATA

#### **ACUTE TOXICITY**

11 ppm (Rabbit), 13 ppm (Guinea Pig).

EYE EFFECTS..... Severe eye irritant capable of inducing corneal

opacity.

SUB-CHRONIC/CHRONIC TOXICITY: Sub-chronic and chronic animal studies show that the primary effects of inhaling vapors and/or aerosols of TDI are restricted to the pulmonary systems. Emphysema, pulmonary edema, pneumonitis and rhinitis are common pathologic effects. Extended exposures to as low as

0.1 ppm TDI have induces pulmonary inflammation.

OTHER

CARCINOGENICITY.....: The NTP conducted carcinogenesis studies of a commercial grade TDI using rats and mice in which the test material was diluted in corn oil and administered by gavage. The investigators concluded that TDI was carcinogenic in male and female rats (fibrosarcomas, pancreatic adenomas, neoplastic liver nodules and mammary gland fibrosarcomas) and female mice (hemangiosarcomas and hepatocellular adenomas). However, chronic inhalation studies in which rats and mice were exposed to 0.05 and 0.15 ppm TDI (10-30 times recommended TLV, 8-hr level) induced no treatment-related tumorigenic effects. In these studies, both exposure levels produced extensive irritation to the nasal passages and upper respiratory system of the test animals indicating that suitable effective exposures were administered.

Product Code: E-002
Page 7 of 8

### XII. ANIMAL TOXICITY DATA (Continued)

MUTAGENICITY..... TDI is positive in the Ames assay with activation. However, mammalian cell transformation assays using human lung cells and Syrian hamster kidney cells were negative, as were micronucleus tests using rats and mice.

 $LC_{50}$  - 96 hr (static): 165 mg/liter (Fathead minnow) AQUATIC TOXICITY.....

LC<sub>50</sub> - 96 hr (static): Greater than 508 mg/liter

(Grass shrimp)

 $\tilde{L}C_{50}$  - 24 hr (static): Greater than 500 mg/liter (Daphnia magna)

#### XIII. APPROVALS

Correcting Section II, Hazardous Ingredients REASON FOR ISSUE.....

J. H. Chapman APPROVED BY.....

Manager, Product Safety - Polyurethane TITLE....:

> Product Code: E-002 Page 8 of 8

en de la composition La composition de la La composition de la La composition de la composition della composition della

。""我是我们的最后,我们的人们也没有我们看到这个种,我们就不是有一种的人们的,我们也不是不是不是一个的。""我们是不是一个的人,我们也是不是一个的人,我们也是 

4.03	Submit a copy or reasonable facsimile of any hazard information (other than an MSDS) that is provided to your customers/users regarding the listed substance or any formulation containing the listed substance. Indicate whether this information has been submitted by circling the appropriate response.
	Yes 1
	No
4.04	For each activity that uses the listed substance, circle all the applicable number(s)
	corresponding to each physical state of the listed substance during the activity listed. Physical states for importing and processing activities are determined at the time you import or begin to process the listed substance. Physical states for
CBI	manufacturing, storage, disposal and transport activities are determined using the final state of the product.
[-]	

		Phy.	sical State		
Activity	Solid	Slurry	Liquid	Liquified Gas	Gas
Manufacture	1	2	3	4	5
Import	1	2	3	4	5
Process	1	2	<b>3</b>	4	5
Store	1	2	3	4	5
Dispose	1	2	3	4	5
Transport	1	2	3	4	5

<sup>[ ]</sup> Mark (X) this box if you attach a continuation sheet.

	N/A	TDI IS	A H	QUID			
Physical State	,	Manufacture	Import	Process	Store	Dispose	Trans
Dust	<1 micron						
	1 to <5 microns						
	5 to <10 microns					<del></del>	
Powder	<1 micron						
	1 to <5 microns						
	5 to <10 microns						
Fiber	<1 micron		<del></del>				
	1 to <5 microns						
	5 to <10 microns					<u> </u>	
Aerosol	<1 micron						
	1 to <5 microns						
	5 to <10 microns						

# FRAN LIGHTEN BURG AT SPI ADVISED TO ANSWER THIS SECTION AS UNKNOWN

SECTION 5 ENVIRONMENTAL FATE

RT A	RATE CONSTANTS AND TRANSFORMATION PRODUCTS		
)1 In	dicate the rate constants for the following tra	nsformation processes.	
a.	Photolysis:		
	Absorption spectrum coefficient (peak)	<u>UK</u> (1/M cm) at <u>UK</u>	nm
	Reaction quantum yield, 6	UK at UK	nm
	Direct photolysis rate constant, $k_p$ , at		
ъ.			
	For $^10_2$ (singlet oxygen), $k_{ox}$	UK	1/M
	For $R0_2$ (peroxy radical), $k_{ox}$	ик	1/M
c.	m	1.1	mg/]
d.	Biotransformation rate constant:		
	For bacterial transformation in water, $k_b \dots$	иК	1/h1
	Specify culture	ик	
e.	Hydrolysis rate constants:		
	For base-promoted process, k <sub>B</sub>	UK	1/M
	For acid-promoted process, k <sub>A</sub>	1.15	1/M
	For neutral process, k <sub>N</sub>	1.17	1/hr
f.		1117	
		uk	

[_]	Mark (X)	this	box	if yo	u attach	а	continuation	sheet	·•		


PART	в г	ARTITION COE	EFFICIENTS							
5.02	a.	Specify the	half-life	of the	listed subs	stance in	the fo	llowing	g medi	a.
		<u>Media</u>				<u>Half</u> -	-life (	specify	unit	<u>s)</u>
		Groundwater				W	K			
		Atmosphere			175	Ur	_			
		Surface wat	er			u				
		Soil				ин	Κ			
	b.				ce's known transformation products that have a half-					
		CAS	No.		<u>Name</u>		lf-life cify un			<u>Media</u>
		UK							in _	,
									in	
			·					<del></del>	in	
		-	-						in	
5.03	Spe	cify the oct	anol-water	partiti	on coeffic	ent, K <sub>ow</sub>		u	K	at 25°(
	Met	hod of calcu	lation or	determin	ation		· · · ·	u	K	
5.04	Spe	cify the soi	l-water pa	rtition	coefficient	., K.,		u	K	at 25°(
		l type						и	K	
5.05	Spe coe	cify the org	ganic carbo	n-water	partition		• • •	W	Κ	at 25°0
5.06	Spe	cify the Hen	ry's Law C	onstant,	Н		• • •	uk	<u> </u>	atm-m³/mole
[_]	Mar	k (X) this t	oox if you	attach a	continuati	on sheet	•			

	Bioconcentration Factor	Species	<u>Test</u> 1
	иК		
	<sup>1</sup> Use the following codes t	o designate the type of test:	
	<pre>F = Flowthrough S = Static</pre>		

6.04 CBI	For each market listed below, state the the listed substance sold or transfers REQUI	total sales value of eporting year.	
[_]		Quantity Sold or	Total Sales
	Market	Transferred (kg/yr)	Value (\$/yr)
	Retail sales		
	Distribution Wholesalers		
	Distribution Retailers		
	Intra-company transfer		
	Repackagers		
	Mixture producers		
	Article producers		
	Other chemical manufacturers or processors		
	Exporters		
	Other (specify)		
6.05	Substitutes List all known commerci for the listed substance and state the feasible substitute is one which is ea	cost of each substitut	e. A commercially
CBI	in your current operation, and which reperformance in its end uses.	esults in a final produ	ct with comparable
[_]	Substitute		Cost (\$/kg)
	No substitutes known	AT THIS TIME	
[_]	Mark (X) this box if you attach a cont	inuation sheet.	


SECTION 7 MANUFACTURING AND PROCESSING INFORMATION
General Instructions: For questions 7.04-7.06, provide a separate response for each process block flow diagram provided in questions 7.01, 7.02, and 7.03. Identify the process type from which the information is extracted.
PART A MANUFACTURING AND PROCESSING PROCESS TYPE DESCRIPTION
7.01 In accordance with the instructions, provide a process block flow diagram showing the major (greatest volume) process type involving the listed substance.  CBI
[] Process type FLEXIBLE POLYURETHENE FOAM SEAT MOLDING

## Process Type: Flexible Intermediates: None



7.03 CBI	In accordance with the process emission strewhich, if combined, we treated before emissifrom one process type for question 7.01. If type, provide a process block.	ams and emi ould total on into the , provide a f all such	ssion points that at least 90 percen e environment. If process block flo emissions are rele	contain t of all all such w diagra ased fro	the list facility of the second secon	sted substance as ity emissions if ions are release g the instruction than one proces	nd not d ns
	Process type	FLEXIBLE	POLYURETHANE	FOAM	SEAT	MOLDING	
					•		

7.03 EMISSIONS
Process Type: Flexible
Intermediates: None



7.04	process bloc	e typical equipment types ck flow diagram(s). If a ocess type, photocopy this	process block flow	<i>i</i> diagram is pro	vided for more
CBI					
[_]	Process type	FLEXIBLE POL	YURETHANE POA	M SEAT MOLI	DING
	Unit			Operating	
	Operation ID	Typical Equipment	Operating Temperature	Pressure Range	Vessel
	Number	Type	Range (°C)	(mm Hg)	Composition
	7.2	CLOSED CYLINDER	20-30	800	STAINLESS STEEL
	7.3	ZENITH	20-30	7800	STAINLESS STEEL
	7.6	ACTIVATED CARBON	20-30	780	C,R,S.
	7.12	<u>u</u> k	20-30	7800	STAINLESS STEEL
	7.16	CHESTER-JENSON	20-30	7800	STAINLESS STEEL
	7.17	uK	20-30	7800	STAINLESS STEEL
	7.22	CURE OVEN	100-150	N/A	CRS
	7.26	DEMOLD AREA	N/A	NA	N/A
	7.28	VACUUM CRUSHER	N/A	78-780	CRS
	7.29	OVERHEAD OVEN	100-150	NA	CRS

۱	ı	Mark	(X)	this	box	i f	VOU	attach	а	continuation	sheet
		Halk	$(\Delta)$	CHIS	UUA	т.	you	attacn	a	Continuation	SHEEL

<u>CBI</u>	question and complete	agram is provided for more it separately for each pr	rocess type.	
[_]	Process type	FLEXIBLE POLYURETH	ANE FOAM SEAT	MOLDING
	Process Stream			_
	ID Code	Process Stream Description	Physical State <sup>1</sup>	Stream Flow (kg/yr)
	74,72,75,7K 7L,7M,TT	TDI	OL_	818,735
	GC = Gas (condensible GU = Gas (uncondensi SO = Solid SY = Sludge or slurr AL = Aqueous liquid OL = Organic liquid	des to designate the physic at ambient temperature able at ambient temperature of the physical strains	and pressure) e and pressure)	

7.06 CBI	If a process	e each process stream : s block flow diagram is on and complete it sepa s for further explanat:	s provided for mor arately for each p	e than one proce rocess type. (R	ss type, photocopy
[_]	Process type	E FLEXIBLE	POLYURETHANE	FOAM SEAT	MOLDING
	a.	<b>b</b> .	c.	d.	е.
	Process Stream ID Code	Known Compounds <sup>1</sup>	Concen- trations <sup>2,3</sup> (% or ppm)	Other Expected Compounds	Estimated Concentrations (% or ppm)
	7H, ZI 7J 7K 7, L 7M	TDI	100%	N/A	N/A
	<u>7 NN</u>	POLYOL	100%	N/A	N/A
	7mm	BLOWING AGENT (FREON S-704)	100%	N/A	<u> </u>


7.06 continued below

7.06 CBI	If a proce this quest	ze each process stream ide ss block flow diagram is p ion and complete it separa ns for further explanation	provided for mo ately for each	ore than one p process type.	rocess type, photocopy
[_]	Process ty	pe FLEXIBLE	POLYURETHA	NE FOAM	SEAT MOLDING
	a.	b.	с.	d.	e.
	Process Stream ID Code	Known Compounds <sup>1</sup>	Concen- trations <sup>2,3</sup> (% or ppm)	Other Expected Compounds	Estimated Concentrations (% or ppm)
	7T	TDI	27.5	N/A	N/A
		POLYOL SURFACTANT	63.9%	N/A	Ma
		TIN CATALYST	0.8%	N/A	N/A
		BLOWING AGENT	4.0%	NA	N/A
	7X.7Z	WATER /AMINE	3.8%	N/A	NA
	<del></del>	POLYURETHANE FOAM	100	N/A	N/A
7.06	continued	below			
[_]	Mark (X) tl	his box if you attach a co	ontinuation she	eet.	

that are present in ear Assign an additive pac column b. (Refer to	kage introduced into a process s ach additive package, and the co ckage number to each additive pa the instructions for further exp for the definition of additive	oncentration of each com ackage and list this num planation and an example
Additive Package Number	Components of Additive Package	Concentration (% or ppm)
1 1	N/A	(% OI ppm)
2		·
3		
4		
5		
2		
Use the following code  A = Analytical result  E = Engineering judgem	es to designate how the concentr ment/calculation	ation was determined:
<sup>3</sup> Use the following code	s to designate how the concentr	ation was measured:
V = Volume W = Weight		

8.01	In accordance with the	instructions	, provide a residual	treatme	nt block	flow diagram
CBI	which describes the tre	eatment proce	ess used for residuals	s identi	fied in	question 7.01
[_]	Process type	FLEXIBLE	POLYURETHANE	FOAM	SEAT	MOLDING

## 8.01 Flexable Polyurethane Foam Seat Molding



#### RESIDUAL GENERATION AND CHARACTERIZATION PART B Characterize each process stream identified in your residual treatment block flow 8.05 diagram(s). If a residual treatment block flow diagram is provided for more than one process type, photocopy this question and complete it separately for each process type. (Refer to the instructions for further explanation and an example.) CBI FLEXIBLE POLYURETHANE ROAM SEAT MOLDING f. b. d. e. g. a. c. Estimated Physical 0ther Concen-Concentra-Stream Type of State tions (% or Expected trations ID Hazardous of Known Compounds<sup>3</sup> Residual<sup>2</sup> ppm) Compounds (% or ppm) Code Waste UK (E)W 71 100 %(E)(W) OL TIT 7V 7Y 7## TDI OL. **73**3 76G METHYLENE 0.004% 50 8A FOOZ 1-10% WATER YAPOR NEUTRALIZED BY NEUTRALIZER continued below

Mark (X) this box if you attach a continuation sheet.

### 8.05 (continued) <sup>1</sup>Use the following codes to designate the type of hazardous waste: I = Ignitable C = Corrosive R = ReactiveE = EP toxicT = ToxicH = Acutely hazardous <sup>2</sup>Use the following codes to designate the physical state of the residual: GC = Gas (condensible at ambient temperature and pressure) GU = Gas (uncondensible at ambient temperature and pressure) SO = SolidSY = Sludge or slurry AL = Aqueous liquid OL = Organic liquid IL = Immiscible liquid (specify phases, e.g., 90% water, 10% toluene) 8.05 continued below

[\_] Mark (X) this box if you attach a continuation sheet.

8.05	(continued)
0.00	CONTURBUCA

<sup>3</sup>For each additive package introduced into a process stream, specify the compounds that are present in each additive package, and the concentration of each component. Assign an additive package number to each additive package and list this number in column d. (Refer to the instructions for further explanation and an example. Refer to the glossary for the definition of additive package.)

	Additive Package Number	Components of Additive Package	Concentrations(% or ppm)					
	1	N/A						
			2.7.8.4					
	2							
	3							
	<del></del>							
	4							
	4							
	_							
	5							
	<sup>4</sup> Use the following codes to designate how the concentration was determined:							
	<pre>A = Analytical result E = Engineering judgem</pre>							
8.05	continued below							
[_]	Mark (X) this box if yo	u attach a continuation sheet.						
		56	12.10.10.10.10.10.10.10.10.10.10.10.10.10.					

5	(continue	· <del>-</del> /					
	<sup>5</sup> Use the following codes to designate how the concentration was measured:						
	V = Volu W = Weig						
	<sup>6</sup> Specify below.	the analytical test methods used and their detection lim Assign a code to each test method used and list those co	nits in the table odes in column e.				
		w .1 1	Detection I				
	Code	<u>Method</u>	(± ug/l)				
	1						
	2						
	3						
	_6						
			•				

CBI	Process	type	FLEXIE	BLE POLYUN	RETH ANE	FOAM	SEAT MOL	DING-
t1	a.	b.	c.	d.	e		f.	g.
	Stream ID Code	Waste Description Code <sup>1</sup>	Management Method Code <sup>2</sup>	Residual Quantities (kg/yr)		gement dual (%) Off-Site	Costs for Off-Site Management (per kg)	Changes in Management Methods
	8A	B 82	15	UK		100	N/A	NA
					-		<u></u> .,	
	8B	<u>859</u>	M 5A	ик		N/A	N/A	MA
	雅 7 7 7PP	<i>B</i> 70	    I	5530		100	N/A	N/A
	7Y 7HH 7JJ							
	76G	B70	m6*					
				-	-			
	<sup>2</sup> Use th	e codes provi e codes provi TRALIZE	ided in Exhi	ibit 8-2 to d	lesignate	the manage		

#### RESPONSE NOT REQUIRED FOR TOIL Describe the combustion chamber design parameters for each of the three largest 8.22 (by capacity) incinerators that are used on-site to burn the residuals identified in your process block or residual treatment block flow diagram(s). CBI Residence Time Combustion Location of Temperature In Combustion Chamber Temperature (°C) Monitor Chamber (seconds) Secondary Primary Secondary Secondary Primary Primary Incinerator 2 3 Indicate if Office of Solid Waste survey has been submitted in lieu of response by circling the appropriate response. Yes ...... 1 8.23 Complete the following table for the three largest (by capacity) incinerators that are used on-site to burn the residuals identified in your process block or residual treatment block flow diagram(s). CBI Types of [**Emissions Data** Air Pollution Available Control Device Incinerator 2 3 Indicate if Office of Solid Waste survey has been submitted in lieu of response by circling the appropriate response. Yes ...... 1 <sup>1</sup>Use the following codes to designate the air pollution control device: S = Scrubber (include type of scrubber in parenthesis) E = Electrostatic precipitator

0 = Other (specify)

[ ] Mark (X) this box if you attach a continuation sheet.

#### PART A EMPLOYMENT AND POTENTIAL EXPOSURE PROFILE

9.01 Mark (X) the appropriate column to indicate whether your company maintains records on the following data elements for hourly and salaried workers. Specify for each data element the year in which you began maintaining records and the number of years the records for that data element are maintained. (Refer to the instructions for further explanation and an example.)

	Data are Ma Hourly	intained for Salaried	Year in Which Data Collection	Number of Years Records
Data Element	Workers	Workers	Began	Are Maintained
Date of hire	<u>×</u>	<u>×</u>	1947	No LIMIT
Age at hire		<u>×</u>	1947	No Lima
Work history of individual				
before employment at your facility	X	X	1947	No Limit
Sex	_×		1947	No LIMIT
Race	×	×	1947	No LIMIT
Job titles				No LIMIT
Start date for each job title	×		1947	No Limit
End date for each job title			1947	No Limit
Work area industrial hygiene monitoring data	<u>×</u>	<u>×</u>	1969	No LIMIT
Personal employee monitoring data	_×	×	1969	No LIMIT
Employee medical history		X	1947	No LIMIT
Employee smoking history	X		1947	No LIMIT
Accident history		×	1947	No LIMIT
Retirement date			1947	No LIMIT
Termination date	<u>×</u>	<u>×</u>	1947	No LIMIT
Vital status of retirees	N/A	N/A		N/A
Cause of death data	N/A	NA	MA	M <sub>A</sub>


[ ] Mark (X) this box if you attach a continuation shee	[-]	Mark (X)	this box	if you	attach a	continuation	sheet
---	-----	----------	----------	--------	----------	--------------	-------

9.02 CBI	In accordance with the in which you engage.	instructions, complete	the following ta	able for e	ach activity
[_]	a.	b.	c.	d.	e.
	Activity	Process Category	Yearly Quantity (kg)	Total <u>Workers</u>	Total Worker-Hours
	Manufacture of the	Enclosed	<del></del>		
	listed substance	Controlled Release	-		
		0pen			
	On-site use as	Enclosed			
	reactant	Controlled Release			
		0pen			
	On-site use as	Enclosed			
	nonreactant	Controlled Release			
		0pen			
	On-site preparation	Enclosed			
	of products	Controlled Release	3,977,225	115*	460,000
		0pen			
	*	Open  INCLUDES FOREMEN,  VERY LIMITED CONTA	ENGINEERS, TRU	CK DRIVE	RS W

 $[\ \ ]$  Mark (X) this box if you attach a continuation sheet.

9.03	Provide a descriptive encompasses workers valisted substance.	e job title for each labor category at your facility that who may potentially come in contact with or be exposed to the
CBI		
[_]		
	Labor Category	Descriptive Job Title
	A	JUB SETTER
	В	FOAM LINE ATTENDENT
	С	INSPECT & PACK
	D	REPAIR / PLASTICS
	E	TRUCK DRIVERS STOCK CHASERS
	F	PIPE FITTERS
	G	EQUIPMENT CLEANERS
	H	ENGINEERS SUPERVISORS
	I	WIRE LOADER
	J	FLOOR INSPECTOR
[_]	Mark (X) this box if	you attach a continuation sheet.

9.04	In accordance with the instructions, provide your process block flow diagram(s) and indicate associated work areas.
CBI	
	Process type FLEXIBLE POLYURETHANE FOAM SEAT MOLDING
۱ <u></u>	riocess type
	1 BULK STORAGE
	1 COMPOUNDING # MOLDING
	3 DEMOLDING & MOLD PREPARATION
	DETROOP PEPAIR
	POST CURE /PACK /REPAIR
[-]	Mark (X) this box if you attach a continuation sheet.
iJ	mare (a) than now as long account a continuous and a



CBI	additional areas no	e in contact with or be exposed to the listed substance. Add any t shown in the process block flow diagram in question 7.01 or is question and complete it separately for each process type.
[_]	Process type	. FLEXIBLE POLYURETHANE FORM SERT MOLDING
	Work Area ID	Description of Work Areas and Worker Activities  UNLOAD TANK TRUCKS & RAIL TANKS TO BULK STORAGE TANK
	1	MONITOR LEVELS & TEMPS  MIX COMPONENTS BEFORE & AT GUN. DISPOSE MIXED BUT
	2	UN REACTED FORM INTO MOLD, BAKE IN CURE OVEN DEMOLD CURED PARTS, CLEAN MOLDS, APPLY MOLD RELEASE
	3	PLACE WIRES IN MOLD
	4	VACUUM CRUSH PARTS, PUT ON POST CURE OVEN, REPAIR DEFECTIVE PARTS, PACK IN BASKETS, TAKE TO SHIPPING
	5	
	6	
	7	
	8	
	9	
	10	
	10	

Labor tegory  A  C  D  F  G  H	Number of Workers Exposed  6  30  30  4  8 4 4	Mode of Exposure (e.g., direct skin contact)  INHALATION SKIN  INHALATION  INHALATION  INHALATION  INHALATION  INHALATION  INHALATION  INHALATION  INHALATION  INHALATION	Physical State of Listed Substance  OL/GU  GU  GU  GU  GU  GU  GU  GU	AREAS  Average Length of Exposure Per Day  E  E  D  D	Number of Days per Year Exposed 7 120 120 120 120 120 120	
Labor tegory  A  B  C  D  F	Number of Workers Exposed  6 30 30 4 8 4 4	of Exposure (e.g., direct skin contact)  INHALATION SKIN  INHALATION  INHALATION  INHALATION  INHALATION  INHALATION  INHALATION  INHALATION  INHALATION  INHALATION SKIN	Physical State of Listed Substance  OL/GU  GU  GU  GU  GU  GU  GU	Average Length of Exposure Per Day  E  E  E  D	Days per Year Exposed 7 120 120 120 120	
B C D E F	30 30 4 8 4 4	INHALATION INHALATION INHALATION INHALATION INHALATION SKIN	OL/GU. GU. GU. GU. OL/GU.	E E E D	120 120 120 120	
C D E F G	30 4 8 4 4	INFALATION INHALATION INHALATION INHALATION SKIN	GU GU GU OL/GU	E E D	120 120 120	
D E F G	4 8 4 4	INHALATION INHALATION SKIN	GU GU OL/GU	E D	120	
E F G	8 4 4	INHALATION INHALATION SKIN	or/en	D	120	
F G	4	INHALATION SKIN	or/en			
G	4	<del></del>		D	,,,,,	
		INHALATION	-,		120	
Н	20		GU	${\mathcal D}$	120	
	20	INHALATION /SKIN	OL/GU	$\overline{\mathcal{D}}$	120	
I	7	INHALATION	Gu	Ε	120	
J	2.	INHALATION	GU	E	126	
* PLA	NT CLOSED	7/1/88				
e point of  = Gas ( temper  = Gas ( temper inclusion  = Solic  e the fol  = 15 minum  = Greater exceedi	condensible a crature and produced prod	essure) AL at ambient OL at ambient OL at ambient oL at ambient ot out of the source; of the source	= Sludge or slu = Aqueous liqui = Organic liqui = Immiscible li (specify phas 90% water, 10 length of expos Greater than 2 exceeding 4 ho	urry id id iquid ses, e.g., 0% toluene) sure per day: 2 hours, but ours 4 hours, but	not	
	temper Gas ( temper includes Solide the fol Greater exceedi Greater	temperature and pr = Gas (uncondensible temperature and pr includes fumes, va = Solid e the following codes = 15 minutes or less = Greater than 15 minu exceeding 1 hour	temperature and pressure)  = Gas (uncondensible at ambient temperature and pressure; includes fumes, vapors, etc.)  = Solid  e the following codes to designate average includes or less  = Greater than 15 minutes, but not exceeding 1 hour  = Greater than one hour, but not	temperature and pressure)  = Gas (uncondensible at ambient temperature and pressure; IL = Immiscible 1: includes fumes, vapors, etc.)  = Solid  = the following codes to designate average length of expose the following codes to designate average len	temperature and pressure)  = Gas (uncondensible at ambient temperature and pressure; and includes fumes, vapors, etc.)  = Solid  = Companic liquid the specify places, e.g., (specify phases, e.g., 90% water, 10% toluene)  = the following codes to designate average length of exposure per day:  = 15 minutes or less  = Greater than 15 minutes, but not exceeding 4 hours  = Greater than one hour, but not exceeding 8 hours	

For each labor category represented in question 9.06, indicate the 8-hour Time Weighted Average (TWA) exposure levels and the 15-minute peak exposure levels. Photocopy this question and complete it separately for each process type and work area.								
	- O	C. C. M.						
Process type	FLEXIBLE FOLYURETHANE	FOAM SEAT MOLDING						
		ALL AREAS 1,2,3 \$4						
7.1. 0.4	8-hour TWA Exposure Level	15-Minute Peak Exposure Level						
Labor Category		(ppm, mg/m <sup>3</sup> , other-specify)						
A	20.005 ppm	<0.02 ppm						
$\mathcal{B}$	<0.005 ppm	<0.02 ppm <0.02 ppm <0.02 ppm						
C	<0.005 ppm	40.02 ppm						
<b>D</b>	<0.005 ppm	<0.02 ppm						
E	<0.005 ppm	<0.02 ppm						
F	<0.005 ppm	<0.02 ppm						
<i>G</i>	< 0.005 ppm	<0.02 Ppm						
<u> </u>	<0.005 ppm	40.02 ppm						
エ	< 0.005 DPM	<0.02 ppm <0.02 ppm						
J	< 0.005 ppm	<0.02 ppm						
	Weighted Average Photocopy this quarea.  Process type  Work area  Labor Category  A B C D E F G H	Weighted Average (TWA) exposure levels and the 15-m Photocopy this question and complete it separately area.  Process type						

#### PART B WORK PLACE MONITORING PROGRAM

9.08 If you monitor worker exposure to the listed substance, complete the following table.

Sample/Test	Work Area ID	Testing Frequency (per year)	Number of Samples (per test)	Who Samples <sup>1</sup>	Analyzed In-House (Y/N)	Number of Years Records Maintained
Personal breathing zone		_6_		D	<u>Y</u>	30
General work area (air)	1_	24		<u>D</u>	<u>Y</u>	30
Wipe samples	N/A	N/A	N/A	N/A	NA	<u> </u>
Adhesive patches	N/A	MA	N/A	NA	<u> </u>	- <del>M</del>
Blood samples	NA	N/A	NA	N/A	N/A	<u> </u>
Urine samples	N/A	N/0	<u>N/A</u>	N/a	<u> </u>	NA
Respiratory samples	NA	N/A	P/A	<u></u>	N/A	<u> </u>
Allergy tests	<u> </u>	~/ <sub>A</sub>	<u> </u>	N/1_	N/A	<u> </u>
Other (specify)						
Other (specify)					1	· .
Other (specify)						
		<del></del>				

<sup>1</sup> Use the following codes to designate who takes the monitoring samples:

A = Plant industrial hygienist

B = Insurance carrier

C = OSHA consultant

D = Other (specify) PROCESS. ENGINEER

#### WORK PLACE MONITORING PROGRAM

If you monitor worker exposure to the listed substance, complete the following table.

<u>CBI</u>

<del></del> •	Sample/Test	Work Area ID	Testing Frequency (per year)	Number of Samples (per test)	Who Samples 1	Analyzed In-House (Y/N)	Number of Years Records Maintained
	Personal breathing zone	2	12		_P	Y	30
	General work area (air)	2	36		D	<u>Y</u>	30
	Wipe samples	N/A	N/A	N/A	N/n	NA	<u> </u>
	Adhesive patches	N/A	MA	N/A	N/A	<u> </u>	No
·	Blood samples	N/1	N/V	N/A	MA	N/A	N/A
	Urine samples	N/A	N/A	N/0	N/0	<u> </u>	N/A
	Respiratory samples	NA	N/A	P/A	<u>- M</u>	N/A	<u></u>
	Allergy tests	<u> </u>	~/ <sub>A</sub>	<u>~~</u>	N/1	N/A	<u> </u>
	Other (specify)						
	Other (specify)					ì	
	Other (specify)		**************************************				

<sup>&</sup>lt;sup>1</sup>Use the following codes to designate who takes the monitoring samples:

A = Plant industrial hygienist

B = Insurance carrier

C = OSHA consultant
D = Other (specify) PROCESS. ENGINEER

#### WORK PLACE MONITORING PROGRAM

If you monitor worker exposure to the listed substance, complete the following table. 9.08

CBI

]	Sample/Test	Work Area ID	Testing Frequency (per year)	Number of Samples (per test)	Who	Analyzed In-House (Y/N)	Number of Years Records Maintained
	Personal breathing zone	3	12		_ D	<u>Y</u>	30
	General work area (air)	3_	_36			<u>Y</u>	30
	Wipe samples	N/A	N/A	N/A	<u> </u>	N/A	<u> </u>
	Adhesive patches	N/A	MA	N/A	NA	<u> </u>	<u> </u>
	Blood samples	NA	N/A	N/A	MA	NA	N/A
	Urine samples	NA	N/A	N/A	Ma	Ν/Λ	NA
	Respiratory samples	NA	N/A	M/A	<u> </u>	N/A	<u> </u>
	Allergy tests	NA	N/A	MA	<u> </u>	N/A	<u> </u>
	Other (specify)						
	Other (specify)					t .	· .
	Other (specify)			. v .	1		

<sup>&</sup>lt;sup>1</sup>Use the following codes to designate who takes the monitoring samples:

<sup>&#</sup>x27;A = Plant industrial hygienist

B = Insurance carrier

C = OSHA consultant
D = Other (specify) PROCESS ENGINEER

Mark (X) this box if you attach a continuation sheet.

#### PART B WORK PLACE MONITORING PROGRAM

If you monitor worker exposure to the listed substance, complete the following table. 9.08

<u>CBI</u>

Sample/Test	Work Area ID	Testing Frequency (per year)	Number of Samples (per test)	Who Samples <sup>1</sup>	Analyzed In-House (Y/N)	Number Years Rec Maintain
Personal breathing zone	4	6_		D	<u>Y</u>	30
General work area (air)	4	24		<u>D</u>	<u>Y</u>	30
Wipe samples	N/A	N/A	N/A	N/A	N/A	N/A
Adhesive patches	NA	MA	N/A	NA	MA	<u> </u>
Blood samples	NA	N/A	N/A	$\frac{N_A}{A}$	N/A	N/A
Urine samples	NA	N/A	N/A	N/a	1/1	NA
Respiratory samples	N/A	N/A	N/A	<u> </u>	<u> </u>	<u>~~</u>
Allergy tests	<u> </u>	N/A	NA	N/1	N/A	<u> </u>
Other (specify)						
Other (specify)					, ,	
Other (specify)			P			· <del>/</del>

<sup>1</sup> Use the following codes to designate who takes the monitoring samples:

A = Plant industrial hygienist

B = Insurance carrier

C = OSHA consultant

PROCESS. ENGINEER D = Other (specify)

Mark (X) this box if you attach a continuation sheet.

[_]	Sample Type		Sampl:	ing and Analyti	cal Methodolo	<u>ogy</u>			
	PERSONAL	mcm	4000		# SPECTRO				
	GENERAL	MDA	7100	PAPER TAPE	\$ SPECTRO	PHOTOMÉTER			
0.10	If you conduct person		Thiont oir	monitoring for	the listed s	uhs tance			
9.10 CBI	specify the following					, and cance,			
1 <u></u> 1	Equipment Type <sup>1</sup>	Detection 1	Limit <sup>2</sup> N	lanufacturer	Averaging Time (hr)	Model Number			
	D	0.001		DA Scientifi	c 4	4000			
	Н	0.001	A MD	A Scientific	4	7100			
	Use the following codes to designate personal air monitoring equipment types:  A = Passive dosimeter B = Detector tube C = Charcoal filtration tube with pump D = Other (specify) MDA MODEL MCM 4000								
	Use the following codes to designate ambient air monitoring equipment types:  E = Stationary monitors located within work area  F = Stationary monitors located within facility  G = Stationary monitors located at plant boundary  H = Mobile monitoring equipment (specify) MDA MODEL 7100  I = Other (specify)								
	<pre>2Use the following codes to designate detection limit units: A = ppm B = Fibers/cubic centimeter (f/cc) C = Micrograms/cubic meter (μ/m³)</pre>								

CBI		<b>7</b>
[_]	Test Description	Frequency (weekly, monthly, yearly, etc.)
	N/A	

12	Describe the engineering conto the listed substance. Plances type and work area.	ntrols that y hotocopy this	ou use to reduce of question and comp	or eliminate wor olete it separa	rker exposur tely for eac
<u> </u>	process type and work areas				
_]	Process type	. FLEXIBLE	POLYURETHANE	FOAM SEAT	MOLDING
	Work area	• • • • • • • • • • •		• •	
	Engineering Controls	Used (Y/N)	Year Installed	Upgraded (Y/N)	Year Upgraded
	Ventilation:				
	Local exhaust				and the second s
	General dilution		- Literature		
	Other (specify)				
	Vessel emission controls				
	Mechanical loading or packaging equipment				
	Other (specify)				

# THIS INFORMATION IS NOT KNOWN OR REASONABLY ASCERTAINABLE

[_]	Mark (X)	this	box if	you	attach a	continuation	sheet.	

9.12	Describe the engineering conto the listed substance. Process type and work area.	ntrols that you hotocopy this o	u use to reduce or question and compl	eliminate work ete it separate	ker exposure ely for each
CBI	•				
[_]	Process type	. FLEXIBLE	POLYURETHANE	FOAM SEAT	- MOLDING
	Work area @ GUN K	Room	• • • • • • • • • • • • • • • • • • • •	•	
	Engineering Controls	Used (Y/N)	Year Installed	Upgraded (Y/N)	Year Upgraded
	Ventilation:		1045		ŵ
	Local exhaust	<u> </u>	1973	<u>uk</u>	
	General dilution	<u>Y</u>	1973	uK	
	Other (specify)				
	Vessel emission controls	N			
	Mechanical loading or packaging equipment	N/A		<u> </u>	
	Other (specify)				
	:			•	•

.12	Describe the engineering corto the listed substance. Process type and work area.	notocopy this	ou use to reduce or question and compl	eliminate work ete it separate	cer exposure ely for each
<u>BI</u> —1	Process type	FLEXIBLE	POLYURETHANE	FOAM SEAT	MOLDING
<b>—</b> '	Work area 3 DEMO	LD		•	
	Engineering Controls	Used (Y/N)	Year Installed	Upgraded (Y/N)	Year Upgraded
• · · · · · · · · · · · · · · · · · · ·	Ventilation:  Local exhaust  General dilution	Y	<u>1973</u> 1973	<u>uK</u> uK	
	Other (specify)				
	Vessel emission controls	N/A			
	Mechanical loading or packaging equipment	Y	1973	uK	
	Other (specify)				

9.12 CBI	Describe the engineering to the listed substance. process type and work are	Photocopy this a.	question and compl	ete it separat	ely for each
[_]	Process type		POLYURETHANE SHIPPING	FOAM SEAT	MOLDIN
	Engineering Controls	Used (Y/N)	Year Installed	Upgraded (Y/N)	Year Upgraded
	Ventilation:	. 7/	077		
	Local exhaust	<u>Y</u>	<u>1973</u>	<u> </u>	
	General dilution	<u>Y</u>	<u> 1973                                     </u>	<u>uK</u>	
•	Other (specify)		•		÷
	Vessel emission controls	N/A			
	Mechanical loading or packaging equipment	NA			
	Other (specify)				
	•			1	
		•			
	•				•
					·
		••	4.1 		•

I	the percenta	ge reducti	on in expo	equipment or pr sure that resul process type an	ted. Phot	ocopy t		
_ _]	Process type	•••••	FLEXIBLE	POLYURETHAN	E FOAM	SEAT	MOLD	ING
	Work area	• • • • • • • • •	• • • • • • • • • • •	•••••	• • • • • • • • •	ALL A	areas	<u>003,4</u>
	E	quipment o	r Process	Modification				in Worker er Year (%
		UK						
	<del></del>					<del></del>		

PART	D PERSONAL PROTECTIV	YE AND SAFETY EQUIPMENT		
9.14 CBI	in each work area in	order to reduce or elim	equipment that your worker minate their exposure to th plete it separately for eac	ne listed
[_]	Process type	. FLEXIBLE POLYURE	THANE FORM SEAT	MOLDING
	Work area	BULK STORAGE	<i></i>	
		Equipment Types Respirators Safety goggles/glasses Face shields Coveralls Bib aprons Chemical-resistant glow Other (specify)	Wear or Use (Y/N)  Y  Y  Y  Y  Y  Y  Y  Y  Y  Y  Y  Y  Y	

\* WHEN CONTACT WITH TDI IS POSSIBLE

PART	D PERSONAL PROTECTI	VE AND SAFETY EQUIPMENT	
9.14 <u>CBI</u>	in each work area i substance. Photoco and work area.	n order to reduce or eliminat py this question and complete	pment that your workers wear or use e their exposure to the listed it separately for each process type  NE FORM SEAT MOLDING
	Work area	GUN Room	NE FORM SEAT MOLDING
	*	Equipment Types Respirators Safety goggles/glasses Face shields Coveralls Bib aprons Chemical-resistant gloves Other (specify)  WHEN CONTACT WITH	Wear or Use (Y/N)  Y  Y  Y  Y  Y  Y  Y  Y  Y  Y  Y  Y  Y

Mark (X) this box if you attach a continuation sheet.

PART D PERSONAL PROTECTIVE AND SAFETY EQUIPMENT				
9.14 CBI	in each work area in substance. Photocoand work area.	n order to reduce or eliminat py this question and complete	ipment that your workers wear or use te their exposure to the listed e it separately for each process type	
[_]	Process type	FLEXIBLE POLYURETHE	NE FORM SEAT MOLDING	
	Work area	EMOLD	<u> </u>	
		Equipment Types Respirators Safety goggles/glasses Face shields Coveralls Bib aprons Chemical-resistant gloves Other (specify)	Wear or Use (Y/N)  Y*  Y  N  Y  Y  Y  Y  Y  Y  Y  Y  Y  Y  Y	
			T in Pacsial E	
	V LIHE	N CONTACT WITH T	DI 15 POSSIBLE	
	* 0010	· · · · · · · · · · · · · · · · · · ·		

		TIVE AND SAFETY EQUIPMENT	
9.14	in each work area substance. Photoc	in order to reduce or elimina	uipment that your workers wear or use ate their exposure to the listed te it separately for each process type
CBI	and work area.	_	
[_]	Process type	FLEXIBLE POLYURETH	ANE FOAM SEAT MOLDING
	Work area	HCK, KEPHIK & SHIPI	1NG (4)
			Wear or Use
		Equipment Types	<u>(Y/N)</u>
		Respirators	_ <u>N</u>
		Safety goggles/glasses	<u>Y</u>
		Face shields	<u> </u>
		Coveralls	_N
		Bib aprons	_ N
		Chemical-resistant gloves	N
		Other (specify)	
			•
			**************************************
٠		· ·	•
•	•	•	
	•		

CBI	tested,	tors used, the average usage, and the type and frequency of e it separately for each proce	f the fit t			
	Process	type FLEXIBLE F	OLYURETI	I ANE FO	AM SEAT	MOLDING
	Work Area	Respirator Type	Average Usage <sup>1</sup>	Fit Tested (Y/N)	Type of Fit Test <sup>2</sup>	Frequency of Fit Tests (per year)
		SCBA-POSITIVE PRESSURE	C	Y	QL	4
	2	SCBA-POSITIVE PRESSURE	_B_	<u> </u>	OL	4
	3	SCBA-POSITIVE PRESSURE	_B_	Y_	QL	4
	4	NOT USED	N/A	N/A	NA_	N/A
	_		the type	of fit tes	t:	
		e following codes to designate ualitative				
	QL = Qu					
	QL = Qu	ualitative				
	QL = Qu	ualitative				
	QL = Qu	ualitative				
	QL = Qu	ualitative				
	QL = Qu	ualitative				

[\_] Mark (X) this box if you attach a continuation sheet.

PART	E WORK PRACTICES						
<u>CBI</u>	Describe all of the work practices and administrative controls used to reduce or eliminate worker exposure to the listed substance (e.g., restrict entrance only to authorized workers, mark areas with warning signs, insure worker detection and monitoring practices, provide worker training programs, etc.). Photocopy this question and complete it separately for each process type and work area.						
[_]		Process type TDI - FOAM SEAT MOLDING					
	Work areaALL A	eeas ·		••			
	1 RESTRICTED ENTE	PANCE TO ON	LY THOSE	gut Horized			
	D EXPOSURE MONITO	RING & RESPII	eation pr	OTECT ION	(SCBA WHEN		
	3 WORKER TRAINING (	HAZARD COMM	UNICATION	PROGRAM)			
	1 LABELLING						
	5 SPILL PROCEDUR	ES					
	separately for each proce  Process type	leaks or spills of the listed substance. Photocopy this question and complete it separately for each process type and work area.  Process type TDI FOAM SEAT MOLDING  Work areaALL AREAS					
	Housekeeping Tasks	Less Than Once Per Day	1-2 Times Per Day	3-4 Times Per Day	More Than 4 Times Per Day		
	Sweeping						
	Vacuuming						
	Water flushing of floors	/ ×	1				
	Other (specify)  NEUTRALIZATION	AS NECESSAR	r)				
			<i></i>				
[_]	Mark (X) this box if you	attach a continua	tion sheet.				

9.21	Do you have a written medical action plan for responding to routine or emergency exposure to the listed substance?				
	Routine exposure				
	Yes				
	No 2				
	Emergency exposure				
	Yes				
	No 2				
	If yes, where are copies of the plan maintained?				
	Routine exposure: PROCESS AND TORETHIN, I LAND SECURITY SAFETY				
	Routine exposure: PROCESS LAB, FOREMAN, PLANT SECURITY SAFETY  Emergency exposure: PROCESS LAB, FOREMAN, SECURITY, SAFETY				
9.22	Do you have a written leak and spill cleanup plan that addresses the listed substance? Circle the appropriate response.				
	Yes				
	No 2				
	PARTE LAR SALETY PLANT SECU				
	If yes, where are copies of the plan maintained? PROCESS LAB, SAFETY PLANT SECU				
	Has this plan been coordinated with state or local government response organizations? Circle the appropriate response.				
	Yes				
	No 2				
9.23	Who is responsible for monitoring worker safety at your facility? Circle the appropriate response.				
	Plant safety specialist				
	Insurance carrier 2				
	OSHA consultant 3				
	Other (specify) 4				
[_]	Mark (X) this box if you attach a continuation sheet.				

## SECTION 10 ENVIRONMENTAL RELEASE

## General Instructions:

Complete Part E (questions 10.23-10.35) for each non-routine release involving the listed substance that occurred during the reporting year. Report on all releases that are equal to or greater than the listed substance's reportable quantity value, RQ, unless the release is federally permitted as defined in 42 U.S.C. 9601, or is specifically excluded under the definition of release as defined in 40 CFR 302.3(22). Reportable quantities are codified in 40 CFR Part 302. If the listed substance is not a hazardous substance under the Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA) and, thus, does not have an RQ, then report releases that exceed 2,270 kg. If such a substance however, is designated as a CERCLA hazardous substance, then report those releases that are equal to or greater than the RQ. The facility may have answered these questions or similar questions under the Agency's Accidental Release Information Program and may already have this information readily available. Assign a number to each release and use this number throughout this part to identify the release. Releases over more than a 24-hour period are not single releases, i.e., the release of a chemical substance equal to or greater than an RQ must be reported as a separate release for each 24-hour period the release exceeds the RQ.

For questions 10.25-10.35, answer the questions for each release identified in question 10.23. Photocopy these questions and complete them separately for each release.

10.01	Where is your facility located? Circle all appropriate responses.
<u>CBI</u>	more to your ractive, retailed and appropriate respondent
[_]	Industrial area
	Urban area
	Residential area 3
	Agricultural area
	Rural area 5
	Adjacent to a park or a recreational area 6
	Within 1 mile of a navigable waterway
	Within 1 mile of a school, university, hospital, or nursing home facility8
	Within 1 mile of a non-navigable waterway 9
	Other (specify)10

10.02	Specify the exact location of your facility (from central point where process unit is located) in terms of latitude and longitude or Universal Transverse Mercader (UTM) coordinates.					
	Latitude		41 . 22	2', 20		
	Longitude	•••••	82	8, 21		
	UTM coordinates Zone	e, Nortl	hing, E	asting		
10.03	the following information.			• •		
	Average annual precipitation		N/A	inches/year		
	Predominant wind direction					
10.04	Indicate the depth to groundwater	r below your facility	y.			
	Depth to groundwater		4-5	meters		
10.05 CBI	For each on-site activity listed, listed substance to the environme Y, N, and NA.)					
[_]	Environmental Release					
	On-Site Activity	Air	Water	Land		
	Manufacturing	<u>~///</u>	- MA			
	Importing	N/A	N/A	N/A		
	Processing	Y	N.	N		
	Otherwise used	N/A	NA	N/A		
	Product or residual storage	Y	N	N		
	Disposal	N/A	NA	NA		
	Transport	N/A	N/A	N/A		
[_]	Mark (X) this box if you attach a	continuation sheet.				

10.06 CBI	Provide the following information for the listed substance and specify the level of precision for each item. (Refer to the instructions for further explanation and an example.)
	Quantity discharged to the air
	Quantity discharged in wastewaters kg/yr ± %
	Quantity managed as other waste in on-site treatment, storage, or disposal units
	Quantity managed as other waste in off-site treatment, storage, or disposal units 5530 kg/yr + 10 %
	# THIS QUANTITY REPRESENTS OFF-STANDARD MATERIA
	USED FILTERS & OTHER CONTAMINATED MAINTENANCE
	MATERIAL. ALL THIS MATERIAL WAS INCINERATED
	AT ROSS INCINERATION USING THEIR " SIDE DOOR
	SYSTEM FOR NON-PUMPABLE PRODUCTS.

	RESPONSE	NOT REQUIRED FOR TDI	- 10 - 10 - 10 - 10 - 10 - 10 - 10 - 10
10.08 <u>CBI</u>	for each process stream process block or resident	technologies used to minimize release of them containing the listed substance as identified treatment block flow diagram(s). Photostely for each process type.	ified in your
[_]	Process type		
	Stream ID Code	Control Technology	Percent Efficiency
[_]	Mark (X) this box if yo	ou attach a continuation sheet.	

PART 1	B RELEASE TO AIR	
10.09 <u>CBI</u> [_]	substance in terr residual treatmer source. Do not is sources (e.g., ed for each process	
	Process type	FLEXIBLE POLYURETHANE FOAM SEAT MOLDING
	Point Source ID Code	Description of Emission Point Source
		GUN ROOM EXHAUST
	7Y	FOAM BAKE OVEN EXHAUST
	7 <i>HH</i>	DEMOLD AREA EXHAUST
	7CC	VACUUM CRUSHER EXHAUST
	7GG	POST CURE OVEN EXHAUST

Mark

(x)

this

xod

**...**. m

you

 $<sup>^4</sup>$ Average Emission Factor — Provide estimated ( $_{\pm}$  25 percent) emission factor (kg of emission per kg of production of listed substance)

10.11 2BI	identifie	ed in quest	ion 10.09 by	e stack para completing	the follow	ing table.		
	Point Source ID Code	Stack Height(m)	Stack Inner Diameter	Exhaust Temperature (°C)	Emission Exit		Building	Vent Type
			or adjacent					
			or adjacent l	building ignate vent 1	type:			
	H = Hori V = Vert							

	1	•
N	//	Ω
• 7	/ F	7

	N/A	
10.12 <u>CBI</u> [_]	distribution for each Point Source Photocopy this question and complet	in particulate form, indicate the particle size ID Code identified in question 10.09. e it separately for each emission point source.
	Point source ID code	·····
	Size Range (microns)	Mass Fraction (% $\pm$ % precision)
	< 1	
	≥ 1 to < 10	
	≥ 10 to < 30	
	≥ 30 to < 50	
	≥ 50 to < 100	
	≥ 100 to < 500	
	≥ 500	
		Total = 100%
[_] 1	Mark (X) this box if you attach a co	ntinuation sheet.

PART C	FUGITIVE EMISSIONS						
10.13 CBI	Equipment Leaks Complete types listed which are exposed according to the specified of the component. Do this for residual treatment block flow not exposed to the listed suprocess, give an overall per exposed to the listed substator each process type.	sed to the lead weight perce each proces ow diagram(substance. Incentage of eace. Photo	isted sum of the stype in the s	abstance and le listed so dentified not include so a batch year that so question	d which ar ubstance prin your prequipment or intermithe proceed and comple	ce in ser passing t cocess bl t types t ittently ess type lete it s	rvice through lock or that are operated is eparately
[_]	Process type FLEXIBL	E YOLYU	rethan	E FOAM	SEAT	MOLDIN	1G-
	Percentage of time per year type		• • • • • • •		• • • • • • • • •		<u>/00</u> %
				d Substanc			ım
	Equipment Type	Less than 5%	5-10%	.11-25%	26-75%	76-99%	Greater than 99%
	Pump seals <sup>1</sup> Packed  Mechanical				REASON		
	Double mechanical <sup>2</sup>			-			
	Compressor seals <sup>1</sup>						
	Flanges						-
	Valves Gas <sup>3</sup> Liquid						
	Pressure relief devices <sup>4</sup> (Gas or vapor only)						
	Sample connections						
	Gas						
	Liquid						
	Open-ended lines <sup>5</sup> (e.g., purge, vent)						***************************************
	Gas						
	Liquid						
	<sup>1</sup> List the number of pump and compressors	compressor	seals,	rather thai	the numb	er of pu	mps or
10.13	continued on next page						
[_] }	Mark (X) this box if you atta	ch a continu	uation sl	heet.			

10.13	(continued)									
	<sup>2</sup> If double mechanical seals are operated with the barrier (B) fluid at a pressure greater than the pump stuffing box pressure and/or equipped with a sensor (S) that will detect failure of the seal system, the barrier fluid system, or both, indicate with a "B" and/or an "S", respectively									
	<sup>3</sup> Conditions existing in the valve during normal operation									
	<sup>4</sup> Report all pressure relief devices in service, including those equipped with control devices									
	<sup>5</sup> Lines closed during normal operation that would be used during maintenance operations									
10.14 <u>CBI</u>	Pressure Relief Devices with Controls Complete the following table for those pressure relief devices identified in 10.13 to indicate which pressure relief devices in service are controlled. If a pressure relief device is not controlled, enter "None" under column c.									
11	a. b. c. d. Number of Percent Chemical Estimated									
	Pressure Relief Devices in Vessel Control Device Control Efficiency									
	THIS INFORMATION IS NOT KNOWN OR REASONABLY ASCERTAINABLE									
	Refer to the table in question 10.13 and record the percent range given under the heading entitled "Number of Components in Service by Weight Percent of Listed Substance" (e.g., <5%, 5-10%, 11-25%, etc.)									
	<sup>2</sup> The EPA assigns a control efficiency of 100 percent for equipment leaks controlled with rupture discs under normal operating conditions. The EPA assigns a control efficiency of 98 percent for emissions routed to a flare under normal operating conditions									
[_]	Mark (X) this box if you attach a continuation sheet.									

N/A

	•	Leak Detection	ne foam			
	- Equipment Type	Concentration (ppm or mg/m³) Measured at Inches from Source	Detection Device		Repairs Initiated (days after detection)	Repairs Complete (days aft initiated
	Pump seals Packed _ Mechanical	N/A	N/A			
	Double mechanical _ Compressor seals _					
	Flanges _ Valves Gas _					
1	Liquid Pressure relief devices (gas or vapor only)			Vervanu substitution in the substitution in th		
:	Sample connections  Gas					
(	Liquid Open-ended lines					
	Gas Liquid					
1	Use the following compound of POVA = Portable organists FPM = Fixed point monday of the control	nic vapor analyze nitoring	c			

F N/A 100 224,000 UK UK UK UK UK 17,000 N UK UK UK U	Vessel Type¹	_	Composition of Stored Materials	Throughput (liters per year)	Vessel Filling Rate (gpm)	Filling	Vessel Inner Diameter (m)	Vessel Height	Operat- ing Vessel Volume (1)	Vessel	Design Flow Rate		Control Efficiency (%)	Bas fo Estim
F N/A 100 224,000 UK UK UK UK UK IT,000 N UK	F_	MA	100	224,000	UK	uk	uK	uK	17,000	N	uk	uK	UK	uK
Use the following codes to designate vessel type:  F = Fixed roof CIF = Contact internal floating roof NCIF = Noncontact internal floating roof EFR = External floating roof FFR = External floating roof FFR = External floating roof FFR = Description of FFR = Description of FFR = Description of FFR = Horizontal F	F	18	100	224,000	UK	uK	UK	UK	(7,000	N	UK	uK	UK	UK
Use the following codes to designate vessel type:  F = Fixed roof CIF = Contact internal floating roof NCIF = Noncontact internal floating roof EFR = External floating roof FFR = External floating roof FFR = External floating roof FFR = Description of FFR = Description of FFR = Description of FFR = Horizontal F	F	NA	100	224,000	UK	uK	uK	UK	17.000	N	UK	UK	uK	uK
F = Fixed roof  CIF = Contact internal floating roof  MS1 = Mechanical shoe, primary  MS2 = Shoe—mounted secondary  MS2R = Rim—mounted, secondary  MS2R = Rim—mounted resilient filled seal, primary  EFR = External floating roof  EFR = External floating roof  IM1 = Liquid—mounted resilient filled seal, primary  P = Pressure vessel (indicate pressure rating)  H = Horizontal  U = Underground  VM1 = Vapor mounted resilient filled seal, primary  VM2 = Rim—mounted secondary  VM3 = Weather shield  3 Indicate weight percent of the listed substance. Include the total volatile organic content in parenthesis  4 Other than floating roofs  5 Gas/vapor flow rate the emission control device was designed to handle (specify flow rate units)  6 Use the following codes to designate basis for estimate of control efficiency:	<u> </u>					•						***************************************		
F = Fixed roof  CIF = Contact internal floating roof  MS1 = Mechanical shoe, primary  MS2 = Shoe—mounted secondary  MS2R = Rim—mounted, secondary  MS2R = Rim—mounted resilient filled seal, primary  EFR = External floating roof  EFR = External floating roof  IM1 = Liquid—mounted resilient filled seal, primary  P = Pressure vessel (indicate pressure rating)  H = Horizontal  U = Underground  VM1 = Vapor mounted resilient filled seal, primary  VM2 = Rim—mounted secondary  VM3 = Weather shield  3 Indicate weight percent of the listed substance. Include the total volatile organic content in parenthesis  4 Other than floating roofs  5 Gas/vapor flow rate the emission control device was designed to handle (specify flow rate units)  6 Use the following codes to designate basis for estimate of control efficiency:							***************************************							
F = Fixed roof  CIF = Contact internal floating roof  MS1 = Mechanical shoe, primary  MS2 = Shoe—mounted secondary  MS2R = Rim—mounted, secondary  MS2R = Rim—mounted resilient filled seal, primary  EFR = External floating roof  EFR = External floating roof  IM1 = Liquid—mounted resilient filled seal, primary  P = Pressure vessel (indicate pressure rating)  H = Horizontal  U = Underground  VM1 = Vapor mounted resilient filled seal, primary  VM2 = Rim—mounted secondary  VM3 = Weather shield  3 Indicate weight percent of the listed substance. Include the total volatile organic content in parenthesis  4 Other than floating roofs  5 Gas/vapor flow rate the emission control device was designed to handle (specify flow rate units)  6 Use the following codes to designate basis for estimate of control efficiency:											- ——		<del> </del>	<u> </u>
F = Fixed roof  CIF = Contact internal floating roof  MS1 = Mechanical shoe, primary  MS2 = Shoe—mounted secondary  MS2R = Rim—mounted, secondary  MS2R = Rim—mounted resilient filled seal, primary  EFR = External floating roof  EFR = External floating roof  IM1 = Liquid—mounted resilient filled seal, primary  P = Pressure vessel (indicate pressure rating)  H = Horizontal  U = Underground  VM1 = Vapor mounted resilient filled seal, primary  VM2 = Rim—mounted secondary  VM3 = Weather shield  3 Indicate weight percent of the listed substance. Include the total volatile organic content in parenthesis  4 Other than floating roofs  5 Gas/vapor flow rate the emission control device was designed to handle (specify flow rate units)  6 Use the following codes to designate basis for estimate of control efficiency:													- <del> </del>	
F = Fixed roof  CIF = Contact internal floating roof  MS1 = Mechanical shoe, primary  MS2 = Shoe—mounted secondary  MS2R = Rim—mounted, secondary  MS2R = Rim—mounted resilient filled seal, primary  EFR = External floating roof  EFR = External floating roof  IM1 = Liquid—mounted resilient filled seal, primary  P = Pressure vessel (indicate pressure rating)  H = Horizontal  U = Underground  VM1 = Vapor mounted resilient filled seal, primary  VM2 = Rim—mounted secondary  VM3 = Weather shield  3 Indicate weight percent of the listed substance. Include the total volatile organic content in parenthesis  4 Other than floating roofs  5 Gas/vapor flow rate the emission control device was designed to handle (specify flow rate units)  6 Use the following codes to designate basis for estimate of control efficiency:														
F = Fixed roof  CIF = Contact internal floating roof  MS1 = Mechanical shoe, primary  MS2 = Shoe—mounted secondary  MS2R = Rim—mounted, secondary  MS2R = Rim—mounted resilient filled seal, primary  EFR = External floating roof  EFR = External floating roof  IM1 = Liquid—mounted resilient filled seal, primary  P = Pressure vessel (indicate pressure rating)  H = Horizontal  U = Underground  VM1 = Vapor mounted resilient filled seal, primary  VM2 = Rim—mounted secondary  VM3 = Weather shield  3 Indicate weight percent of the listed substance. Include the total volatile organic content in parenthesis  4 Other than floating roofs  5 Gas/vapor flow rate the emission control device was designed to handle (specify flow rate units)  6 Use the following codes to designate basis for estimate of control efficiency:		,												
CIF = Contact internal floating roof  NCIF = Noncontact internal floating roof  EFR = External floating roof  P = Pressure vessel (indicate pressure rating)  H = Horizontal  U = Underground  A Underground  BS2 = Shoe—mounted secondary  MS2R = Rim—mounted, secondary  IM1 = Liquid—mounted resilient filled seal, primary  IM2 = Rim—mounted shield  IMW = Weather shield  VM1 = Vapor mounted resilient filled seal, primary  VM2 = Rim—mounted secondary  VM2 = Rim—mounted secondary  VM3 = Weather shield  IMW = Weather shield  Tradicate weight percent of the listed substance. Include the total volatile organic content in parenthesis  Other than floating roofs  Gas/vapor flow rate the emission control device was designed to handle (specify flow rate units)  Use the following codes to designate basis for estimate of control efficiency:	 1						2							
EFR = External floating roof  P = Pressure vessel (indicate pressure rating)  H = Horizontal  U = Underground  VM1 = Vapor mounted resilient filled seal, primary  VM2 = Rim-mounted resilient filled seal, primary  VM2 = Rim-mounted resilient filled seal, primary  VM2 = Rim-mounted secondary  VM3 = Weather shield  Indicate weight percent of the listed substance. Include the total volatile organic content in parenthesis  Other than floating roofs  Gas/vapor flow rate the emission control device was designed to handle (specify flow rate units)  Use the following codes to designate basis for estimate of control efficiency:			•	designate ve	ssel typ	· ·e:			_		_	te floatir	g roof seal	 ls:
P = Pressure vessel (indicate pressure rating)  H = Horizontal  U = Underground  WM1 = Vapor mounted shield  VM2 = Rim-mounted resilient filled seal, primary  VM2 = Rim-mounted secondary  VM2 = Rim-mounted resilient filled seal, primary  VM2 = Rim-mounted resilient filled seal, primary  VM2 = Rim-mounted resilient filled seal, primary  VM2 = Rim-mounted shield  VM1 = Vapor mounted resilient filled seal, primary  VM2 = Rim-mounted shield  VM1 = Vapor mounted resilient filled seal, primary  VM2 = Rim-mounted shield  VM1 = Vapor mounted resilient filled seal, primary  VM2 = Rim-mounted shield  VM2 = Rim-mounted shield  VM3 = Vapor mounted resilient filled seal, primary  VM2 = Rim-mounted shield  VM1 = Vapor mounted resilient filled seal, primary  VM2 = Rim-mounted shield  VM2 = Rim-mounted shield	 F CIF	= Fixed r = Contact	oof internal fl	oating roof		e:	MS1 MS2	. = Med 2 = Sho	chanical oe-mounte	shoe, pri ed seconda	imary iry	te floatir	ng roof seal	 ls:
U = Underground  VM1 = Vapor mounted resilient filled seal, primary  VM2 = Rim-mounted secondary  VMW = Weather shield  Tradicate weight percent of the listed substance. Include the total volatile organic content in parenthesis  Other than floating roofs  Gas/vapor flow rate the emission control device was designed to handle (specify flow rate units)  Use the following codes to designate basis for estimate of control efficiency:	 F CIF NCIF	= Fixed r = Contact = Noncont	roof internal fl act internal	oating roof floating roo		· • ·	MS1 MS2 MS2	. = Med 2 = Sha 2R = Rin	chanical oe-mounte n-mounted	shoe, pri ed seconda i, seconda	mary ary ary			 ls:
VM2 = Rim-mounted secondary VMW = Weather shield  Tridicate weight percent of the listed substance. Include the total volatile organic content in parenthesis  Other than floating roofs  Gas/vapor flow rate the emission control device was designed to handle (specify flow rate units)  Use the following codes to designate basis for estimate of control efficiency:	 F CIF NCIF EFR P	= Fixed r = Contact = Noncont = Externa = Pressur	oof internal fl act internal Il floating revessel (in	oating roof floating roof	of		MS1 MS2 MS2 LM1 LM2	. = Mex 2 = Sho 2R = Rir 1 = Lio 2 = Rir	chanical ce-mounted n-mounted quid-mounted n-mounted	shoe, pri ed seconda d, seconda nted resil d shield	mary ary ary			 ls:
<sup>3</sup> Indicate weight percent of the listed substance. Include the total volatile organic content in parenthesis <sup>4</sup> Other than floating roofs <sup>5</sup> Gas/vapor flow rate the emission control device was designed to handle (specify flow rate units) <sup>6</sup> Use the following codes to designate basis for estimate of control efficiency:	 F CIF NCIF EFR P H	= Fixed r = Contact = Noncont = Externa = Pressur = Horizon	oof internal fl act internal al floating r re vessel (in atal	oating roof floating roof	of		MS1 MS2 MS2 LM1 LM2 LM2	. = Mex 2 = Shx 2R = Rin 1 = Lio 2 = Rin W = Wex	chanical  De-mounted  T-mounted  T-mounted  T-mounted  T-mounted  The mounted  The	shoe, pri ed seconda d, seconda nted resil d shield ield	mary ary ary lient fi	lled seal,	, primary	 ls:
<sup>4</sup> Other than floating roofs <sup>5</sup> Gas/vapor flow rate the emission control device was designed to handle (specify flow rate units) <sup>6</sup> Use the following codes to designate basis for estimate of control efficiency:	 F CIF NCIF EFR P H	= Fixed r = Contact = Noncont = Externa = Pressur = Horizon	oof internal fl act internal al floating r re vessel (in atal	oating roof floating roof	of		MSI MS2 MS2 LMI LM2 LMV VMI	. = Mec 2 = Sho 2R = Rir 1 = Lio 2 = Rir V = Weo 1 = Vap 2 = Rir	chanical  oe-mounted  n-mounted  quid-mounted  ather ship  por mounted  n-mounted	shoe, pried seconda d, seconda nted resil d shield ield ted resili d secondar	mary ary Lient fil	lled seal,	, primary	  ls:
<sup>5</sup> Gas/vapor flow rate the emission control device was designed to handle (specify flow rate units) <sup>6</sup> Use the following codes to designate basis for estimate of control efficiency:	 F CIF NCIF EFR P H U	= Fixed r = Contact = Noncont = Externa = Pressur = Horizon = Undergr	roof internal flact internal il floating revessel (intal cound	oating roof floating room oof dicate pressu	of are ratin	ng)	MS1 MS2 MS2 LM1 LM2 VM1 VM2 VM2	= Mex 2 = Sho 2R = Rir 1 = Lio 2 = Rir V = Wex 1 = Vay 2 = Rir V = Wex	chanical oe-mounted quid-mounted ather shi por mounted ather shi m-mounted	shoe, pried secondard, secondard resild ted resilid secondard secondard secondard	imary ary Lient fil	lled seal, led seal,	, primary primary	 ls:
	 F CIF NCIF EFR P H U	= Fixed r = Contact = Noncont = Externa = Pressur = Horizon = Undergr	roof internal fluct internal il floating r re vessel (in ital round  it percent of	oating roof floating room oof dicate pressu	of are ratin	ng)	MS1 MS2 MS2 LM1 LM2 VM1 VM2 VM2	= Mex 2 = Sho 2R = Rir 1 = Lio 2 = Rir V = Wex 1 = Vay 2 = Rir V = Wex	chanical oe-mounted quid-mounted ather shi por mounted ather shi m-mounted	shoe, pried secondard, secondard resild ted resilid secondard secondard secondard	imary ary Lient fil	lled seal, led seal,	, primary primary	 Ls:
	 F CIF NCIF EFR P H U	= Fixed r = Contact = Noncont = Externa = Pressur = Horizon = Undergr	roof internal fluct internal il floating revessel (internal cound  at percent of pating roofs	oating roof floating roof oof dicate pressu	of are ration	ng) e. Includ	MS1 MS2 MS2 LM1 LM2 LM6 VM1 VM2 VM3	= Mex 2 = Shx 2R = Rir 1 = Lic 2 = Rir W = Wex 1 = Vay 2 = Rir W = Wex al vola	chanical  chanical  comounted  quid-mounted  ather ship  m-mounted  ather ship  tile organical	shoe, pried seconda d, seconda nted resil d shield ield ted resili d secondar ield enic conte	mary ary Lient fil ent fil y ent in p	lled seal, led seal,	, primary primary	Ls:
	 F CIF NCIF EFR P H U	= Fixed r = Contact = Noncont = Externa = Pressur = Horizon = Undergr	roof internal fluct internal il floating revessel (intal cound at percent of pating roofs were the en	oating roof floating roof coof dicate pressu	of are ration substance	ng) e. Includ e was desig	MS1 MS2 MS2 LM1 LM2 VM1 VM2 VM3 The total	= Mex 2 = Sho 2 = Rir 1 = Lio 2 = Rir 4 = Wea 2 = Rir 4 = Wea al vola	chanical  oe-mounted  quid-mounted  ather ship  por mounted  ather ship  tile organ  specify	shoe, pried seconda d, seconda nted resil d shield ield ted resili d secondar ield enic conte	mary ary Lient fil ent fil y ent in p	lled seal, led seal,	, primary primary	 Ls:

		pped. If the l releases.	re were more	than six releases	, attach a continua	ation sheet and
	Release		Date Started	Time (am/pm)	Date Stopped	Time (am/pm)
	1					<del></del>
	2					
	3				***************************************	
	4					-5-74
	5		<del></del>			
	6	-				
10.24	Specify	the weather	conditions as	t the time of each	release. N/A	
	Release	Wind Speed (km/hr)	d Wind Directi	Humidity ion (%)	Temperature (°C)	Precipitation (Y/N)
	1					
	2		<del></del>			
	3					
	4					
	4					
	5					
	5					
	5					
	5					